



US00D444455S

(12) **United States Design Patent**
Solymanbeyk

(10) **Patent No.:** **US D444,455 S**

(45) **Date of Patent:** **** Jul. 3, 2001**

(54) **VIBRATING CHILD PAGER AND TRANSMITTER**

5,714,931 2/1998 Petite et al. .
5,923,255 7/1999 Vahdatshoar .
5,963,137 10/1999 Water, Sr. .

(76) Inventor: **William Solymanbeyk**, 1326 W. Crawford, Livingston, MT (US) 59047

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Nanda Bondade

(21) Appl. No.: **29/132,886**

(57) **CLAIM**

(22) Filed: **Nov. 17, 2000**

The ornamental design for a vibrating child pager and transmitter, as shown and described.

(51) **LOC (7) Cl.** **14-03**

DESCRIPTION

(52) **U.S. Cl.** **D14/191**

(58) **Field of Search** D10/104, 106; D14/155, 191, 192, 299; 340/311.1, 349, 351, 570-573; 455/90, 92, 100, 344

FIG. 1 is a front elevational view of the vibrating child pager and transmitter of the present invention;
FIG. 2 is a bottom elevational view of the vibrating child pager and transmitter of FIG. 1;
FIG. 3 is a rear elevational view of the vibrating child pager and transmitter of FIG. 1;
FIG. 4 is a top plan view of the vibrating child pager and transmitter of FIG. 1;
FIG. 5 is a left side elevational view of the vibrating child pager and transmitter of FIG. 1; and,
FIG. 6 is a right side elevational view of the vibrating child pager and transmitter of FIG. 1.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 290,608	*	6/1987	Fisher	D14/191
D. 339,350	*	9/1993	Khoo et al.	D14/191
D. 391,510		3/1998	Leo et al.		
D. 423,510	*	4/2000	Pizarro et al.	D14/191 X
D. 427,099	*	6/1999	Hunter	D10/104
3,911,416		10/1975	Feder		
4,558,396	*	12/1985	Kawabata et al.	455/100
4,975,694		12/1990	McLaughlin et al.		

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

