



US00D444460S

(12) **United States Design Patent**  
**Kitazawa et al.**

(10) **Patent No.:** **US D444,460 S**

(45) **Date of Patent:** **\*\* Jul. 3, 2001**

(54) **CONTROLLER FOR ELECTRONIC PERCUSSION INSTRUMENT**

(75) Inventors: **Atsushi Kitazawa; Ikuro Mine**, both of Shizuoka-ken (JP)

(73) Assignee: **Yamaha Corporation**, Shizuoka-ken (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/130,543**

(22) Filed: **Oct. 3, 2000**

(30) **Foreign Application Priority Data**

Apr. 11, 2000 (JP) ..... 12-009414

(51) **LOC (7) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/217; D17/99**

(58) **Field of Search** ..... D14/217, 162, D14/299; D17/22, 99; 84/600, 622, 711, 723, DIG. 12; 381/28, 119

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 325,910 \* 5/1992 Ito et al. .... D14/162

D. 384,356 \* 9/1997 Ito et al. .... D14/217

D. 387,798 \* 12/1997 Miura ..... D17/99

D. 402,984 \* 12/1998 Ito et al. .... D14/162

D. 435,250 \* 12/2000 Mackie et al. .... D14/217

4,314,496 \* 2/1982 Tavel ..... 84/711

\* cited by examiner

*Primary Examiner*—Adir Aronovich

(74) *Attorney, Agent, or Firm*—Weingarten, Schurgin, Gagnebin & Hayes LLP

(57) **CLAIM**

The ornamental design for a controller for electronic percussion instrument, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a controller for electronic percussion instrument looking from the upper left-side direction thereof;

FIG. 2 is a top view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;


FIG. 5 is a bottom view thereof;


FIG. 6 is a right-side view thereof;

FIG. 7 is a left-side view thereof; and,


FIG. 8 is a top view of the controller for electronic percussion instrument showing light transmission display section.

**1 Claim, 5 Drawing Sheets**







**FIG. 1**




*FIG. 2*




*FIG. 3*




**FIG. 4**




**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des 444,460 S  
DATED : July 3, 2001  
INVENTOR(S) : Atsushi Kitazawa et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


Title page,

Item [30], **Foreign Application Priority Data**, "12-009414" should read  
-- 9414/2000 --.

Signed and Sealed this

Sixth Day of August, 2002

*Attest:*



*Attesting Officer*

JAMES E. ROGAN  
*Director of the United States Patent and Trademark Office*