



US00D444491S

(12) **United States Design Patent**
Iwanaga

(10) **Patent No.:** **US D444,491 S**

(45) **Date of Patent:** **** Jul. 3, 2001**

(54) **NOSE PAD**

(75) **Inventor:** **Kenichiro Iwanaga, Sakai (JP)**

(73) **Assignee:** **Optec Japan Corporation, Sabae (JP)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/134,137**

(22) **Filed:** **Dec. 13, 2000**

(30) **Foreign Application Priority Data**

Jun. 14, 2000 (JP) 12-016014

(51) **LOC (7) Cl. 16-06**

(52) **U.S. Cl. D16/333**

(58) **Field of Search D16/300-330,**
D16/332-334; 351/41, 44, 51, 52, 131-139,
158, 110; 2/432, 437, 433, 439, 12

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 211,668 * 7/1968 Ramp D16/332
- D. 367,666 * 3/1996 Conway D16/314
- D. 376,163 * 12/1996 Jannard et al. D16/334
- D. 389,854 * 1/1998 Nason D16/333
- 2,682,196 * 6/1954 Baldanza D16/332

- 5,387,949 * 2/1995 Tackles 351/110
- 5,790,230 * 8/1998 Sved 351/110
- 5,828,438 * 10/1998 Kuo-Tseng 351/136
- 6,102,542 * 8/2000 Masuda 351/110

* cited by examiner

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Flynn, Thiel, Boutell & Tanis, P.C.

(57) **CLAIM**

The ornamental design for a nose pad, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a nose pad showing my new design;
 FIG. 2 is a plan view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a right-side view thereof, the left-side being symmetrical thereto;
 FIG. 6 is a perspective view thereof, showing a state of use; and,
 FIG. 7 is a front view thereof, showing a state of use.
 The broken lines shown in FIGS. 6 and 7 are for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

