



US00D444514S

(12) **United States Design Patent**
Jenkins et al.

(10) **Patent No.: US D444,514 S**

(45) **Date of Patent: ** Jul. 3, 2001**

(54) **COMBINED DOLL AND CARRIER**

(76) Inventors: **Donna Joy Jenkins**, P.O. Box 3162,
Omak, WA (US) 98841-3162; **Vera**
Signe Lundberg, 3101 Boardwalk,
11-2811, Atlantic City, NJ (US) 08401

(**) Term: **14 Years**

(21) Appl. No.: **29/127,087**

(22) Filed: **Jul. 28, 2000**

Related U.S. Application Data

(63) Continuation-in-part of application No. 09/245,767, filed on
Feb. 5, 1999, now Pat. No. 6,106,360.

(51) **LOC (7) Cl.** **21-01**

(52) **U.S. Cl.** **D21/577; D21/621; D21/625**

(58) **Field of Search** **D21/621, 577,**
D21/625, 631, 649, 630; 446/321, 72, 73,
369, 372

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 75,532	*	6/1928	Stein et al.	D21/625
D. 98,062	*	1/1936	Gaba	D21/625
D. 125,947	*	3/1941	Steiner	D21/625
D. 137,445	*	3/1944	Berber	D21/577
D. 306,889		3/1990	Fiust	.	
D. 308,401		6/1990	Dinelli	.	
D. 401,984		12/1998	Morrison	.	
1,307,218	*	6/1919	Spencer	446/369
1,425,974		8/1922	Kearney	.	
1,590,927		6/1926	Duncan et al.	.	
1,651,738		12/1927	Stein et al.	.	
1,768,334		6/1930	Stein et al.	.	
2,396,441		3/1946	Seidler	.	
2,429,928		10/1947	Exline	.	

3,789,546	*	2/1974	Morrison	.	
3,811,320		5/1974	Glass et al.	.	
4,373,292		2/1983	Pelura	.	
4,573,927	*	3/1986	Newman	446/321
4,734,948		4/1988	Danova	.	
4,853,994		8/1989	Ekstein	.	
4,889,512		12/1989	Burnett et al.	.	
5,084,930		2/1992	Danova	.	
5,848,900	*	12/1998	Pearson	446/321

* cited by examiner

Primary Examiner—Lucy Lieberman
(74) *Attorney, Agent, or Firm*—Wells, St. John, Roberts,
Gregory & Matkin, P.S.



(57) **CLAIM**

The ornamental design for a combined doll and carrier, as
shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a combined doll and
carrier showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a side elevation view thereof, the opposite side
being a mirror image;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a front elevation of the carrier shown separately for
clarity of illustration;
FIG. 6 is a bottom view as viewed from below in FIG. 5;
FIG. 7 is an enlarged perspective view of the doll shown
separately for clarity of illustration;
FIG. 8 is a front elevation view of the doll shown in FIG. 7;
FIG. 9 is a side view of the doll, the opposite side being a
mirror image thereof;
FIG. 10 is a rear side elevation view of the doll; and,
FIG. 11 is a bottom plan view of the doll as seen from below
in FIG. 10.

1 Claim, 8 Drawing Sheets








FIG. 1



It is hereby certified



III II □ ≡




FIG. 4




FIG. 5





FIG. 6



II II II II II




FIG. 8B




FIG. 8A




FIG. 1 III




FIG. 2 III