



US00D444514S

(12) **United States Design Patent**  
**Jenkins et al.**

(10) **Patent No.: US D444,514 S**

(45) **Date of Patent: \*\* Jul. 3, 2001**

(54) **COMBINED DOLL AND CARRIER**

(76) Inventors: **Donna Joy Jenkins**, P.O. Box 3162,  
Omak, WA (US) 98841-3162; **Vera**  
**Signe Lundberg**, 3101 Boardwalk,  
11-2811, Atlantic City, NJ (US) 08401

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/127,087**

(22) Filed: **Jul. 28, 2000**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 09/245,767, filed on  
Feb. 5, 1999, now Pat. No. 6,106,360.

(51) **LOC (7) Cl.** ..... **21-01**

(52) **U.S. Cl.** ..... **D21/577; D21/621; D21/625**

(58) **Field of Search** ..... **D21/621, 577,**  
**D21/625, 631, 649, 630; 446/321, 72, 73,**  
**369, 372**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 75,532	*	6/1928	Stein et al. ....	D21/625
D. 98,062	*	1/1936	Gaba .....	D21/625
D. 125,947	*	3/1941	Steiner .....	D21/625
D. 137,445	*	3/1944	Berber .....	D21/577
D. 306,889		3/1990	Fiust .	
D. 308,401		6/1990	Dinelli .	
D. 401,984		12/1998	Morrison .	
1,307,218	*	6/1919	Spencer .....	446/369
1,425,974		8/1922	Kearney .	
1,590,927		6/1926	Duncan et al. .	
1,651,738		12/1927	Stein et al. .	
1,768,334		6/1930	Stein et al. .	
2,396,441		3/1946	Seidler .	
2,429,928		10/1947	Exline .	

3,789,546	*	2/1974	Morrison .	
3,811,320		5/1974	Glass et al. .	
4,373,292		2/1983	Pelura .	
4,573,927	*	3/1986	Newman .....	446/321
4,734,948		4/1988	Danova .	
4,853,994		8/1989	Ekstein .	
4,889,512		12/1989	Burnett et al. .	
5,084,930		2/1992	Danova .	
5,848,900	*	12/1998	Pearson .....	446/321

\* cited by examiner

*Primary Examiner*—Lucy Lieberman  
(74) *Attorney, Agent, or Firm*—Wells, St. John, Roberts,  
Gregory & Matkin, P.S.



(57) **CLAIM**

The ornamental design for a combined doll and carrier, as  
shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a combined doll and  
carrier showing our new design;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is a side elevation view thereof, the opposite side  
being a mirror image;  
FIG. 4 is a rear elevation view thereof;  
FIG. 5 is a front elevation of the carrier shown separately for  
clarity of illustration;  
FIG. 6 is a bottom view as viewed from below in FIG. 5;  
FIG. 7 is an enlarged perspective view of the doll shown  
separately for clarity of illustration;  
FIG. 8 is a front elevation view of the doll shown in FIG. 7;  
FIG. 9 is a side view of the doll, the opposite side being a  
mirror image thereof;  
FIG. 10 is a rear side elevation view of the doll; and,  
FIG. 11 is a bottom plan view of the doll as seen from below  
in FIG. 10.

**1 Claim, 8 Drawing Sheets**








FIG. 1



*Il II aq a*



III II □ ≡




FIG. 4




FIG. 5





FIG. 6



II II II II II




FIG. 8B




FIG. 8C






FIG. 1 III




FIG. 2 III