



US00D444532S

(12) **United States Design Patent**
Bullock

(10) **Patent No.:** **US D444,532 S**

(45) **Date of Patent:** **** Jul. 3, 2001**

(54) **RECOIL BUFFER**

2,656,637 * 10/1953 Richards D22/108
4,976,184 * 12/1990 Bunczk D22/108 X

(76) **Inventor:** **Larry Alan Bullock**, P.O. Box 104903,
Jefferson City, MO (US) 65110

* cited by examiner

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Monica A. Weingart
(74) *Attorney, Agent, or Firm*—Richard J. Grundstrom

(**) **Term:** **14 Years**

(57) **CLAIM**

(21) **Appl. No.:** **29/127,892**

The ornamental design for a recoil buffer, as shown and described.

(22) **Filed:** **Aug. 14, 2000**

DESCRIPTION

(51) **LOC (7) Cl.** **22-01**

(52) **U.S. Cl.** **D22/111; D22/108**

(58) **Field of Search** D22/108, 111;
89/14.3, 44.02, 198


FIG. 1 is a front prospective view of the recoil buffer.
FIG. 2 is a rear prospective view of the recoil buffer.
FIG. 3 is a front view of the recoil buffer.
FIG. 4 is a back view of the recoil buffer.
FIG. 5 is a top view of the recoil buffer.
FIG. 6 is a bottom view of the recoil buffer.
FIG. 7 is a side view of the recoil buffer; and,
FIG. 8 is an opposite side view of the recoil buffer.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 328,632 * 8/1992 Bigwood D22/108
D. 380,249 * 6/1997 Bingham et al. D22/108

1 Claim, 6 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.




FIG.4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.