



US00D444730S

(12) **United States Design Patent**
Byers

(10) **Patent No.:** **US D444,730 S**

(45) **Date of Patent:** **** Jul. 10, 2001**

(54) **RECONFIGURABLE DECORATIVE SCULPTURE**

(75) Inventor: **Thomas L. Byers**, Mustang, OK (US)

(73) Assignee: **Gary Products Group, Inc.**, Lubbock, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/105,984**

(22) Filed: **Jun. 8, 1999**

(51) **LOC (7) Cl.** **11-05**

(52) **U.S. Cl.** **D11/125; D11/157**

(58) **Field of Search** D11/117, 121, D11/125, 124, 157; 362/121, 807; 428/7-9

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 397,956	*	9/1998	Lee	D11/125	X
D. 407,038	*	3/1999	Atilano	D11/125	X
D. 407,039	*	3/1999	Openiano	D11/125	
1,822,798	*	9/1931	Carroll	362/807	
1,869,321	*	7/1932	Block	362/807	
4,453,201	*	6/1984	Prouty	362/121	
4,523,260	*	6/1985	Duncan	363/121	

* cited by examiner

Primary Examiner—Dominic Simone

(74) *Attorney, Agent, or Firm*—Locke Liddell & Sapp LLP

(57) **CLAIM**

The ornamental design for a reconfigurable decorative sculpture, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the reconfigurable decorative

sculpture of the present invention in a display position.

FIG. 2 is a rear view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 3 is a left side view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 4 is a right side view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 5 is a top view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 6 is a bottom view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 7 is a left side view of the reconfigurable decorative sculpture of the present invention in a folded position, the right side view being a mirror image thereof.

FIG. 8 is a front view of the reconfigurable decorative sculpture of the present invention in a folded position.

FIG. 9 is a rear elevation view of the reconfigurable decorative sculpture in a folded position.

FIG. 10 is a top view of the reconfigurable decorative sculpture in a folded position; and,

FIG. 11 is a bottom view of the reconfigurable decorative sculpture in a folded position.

The dashed lines depict lights that may be attached to the reconfigurable decorative sculpture and are not part of the claimed design. Lights and connecting wires are shown in dashed lines in FIG. 1 but only the lights are shown in FIGS. 2-11 for purposes of clarity.

1 Claim, 5 Drawing Sheets











