



US00D444895S

(12) **United States Design Patent**
Moriyama et al.

(10) **Patent No.:** **US D444,895 S**

(45) **Date of Patent:** **** Jul. 10, 2001**

(54) **COLORED LIGHT EMITTING UNIT**

(75) Inventors: **Hideo Moriyama; Masayuki Katogi; Hiroaki Machii**, all of Tokyo (JP)

(73) Assignee: **Moriyama Sangyo Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/110,106**

(22) Filed: **Aug. 31, 1999**

(30) **Foreign Application Priority Data**

Mar. 2, 1999 (JP) 11-5204

(51) **LOC (7) Cl.** **26-04**

(52) **U.S. Cl.** **D26/25**

(58) **Field of Search** D26/24, 25, 2;
362/802, 807, 808, 240, 233

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 362,734	*	9/1995	Murata	D26/25
D. 363,560	*	10/1995	Murata	D26/25
2,713,629	*	7/1955	Etzkorn	362/240
2,863,041	*	12/1958	Steinbach	362/802
4,481,561	*	11/1984	Lanning	362/802
4,984,142	*	1/1991	Garnerone	362/233
5,655,830	*	8/1997	Ruskouski	362/240
5,688,041	*	11/1997	Arndt	362/240
5,688,042	*	11/1997	Madadi et al.	362/240
5,893,633	*	4/1999	Uchio et al.	362/240
5,988,838	*	11/1999	Rudenberg	362/233
6,036,335	*	3/2000	Openiano	362/240

* cited by examiner

Primary Examiner—Cynthia E Ramirez

(74) *Attorney, Agent, or Firm*—Marshall & Melhorn, LLC

(57) **CLAIM**

The ornamental design for a colored light emitting unit, as shown and described.

DESCRIPTION

The file of this patent contains at least one drawing executed in color. Copies of this patent with color drawings will be provided by the Patent and Trademark Office upon request and payment of the necessary fee.

FIG. 1 is a top perspective view of a colored light emitting unit showing our new design, the colored light emitting unit being surrounded by a light transmissive cylindrical cover which is shown in broken lines for illustrative purposes only;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a back view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a bottom perspective view thereof; and,

FIG. 9 is an illustrative perspective view showing a colored light emitting unit according to our new design employed in combination with three like units shown in broken lines mounted inside a translucent or transparent cylindrical cover with top and bottom plate members attached thereto, also shown in broken lines, the three like units, transparent cylindrical cover and top and bottom plate members forming no part of the claimed design.

The broken line showing of a cylinder in FIGS. 1 through 8 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets

(6 of 6 Drawing Sheet(s) Filed in Color)




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

