



US00D445011S

(12) **United States Design Patent** (10) **Patent No.:** **US D445,011 S**  
**Schneider et al.** (45) **Date of Patent:** **\*\* Jul. 17, 2001**

(54) **HOUSING FOR HAND-OPERATED APPARATUS FOR TIGHTENING AND CLOSING OF BINDING STRIPS**

(75) Inventors: **Oliver Schneider**, Oppenheim; **Armin Klein**, Wiesbaden, both of (DE)

(73) Assignee: **Cyklop GmbH** (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/129,775**

(22) Filed: **Sep. 18, 2000**

(30) **Foreign Application Priority Data**

Mar. 22, 2000 (DE) ..... 4 00 02 940

(51) **LOC (7) Cl.** ..... **08-01**

(52) **U.S. Cl.** ..... **D8/61; D8/44**

(58) **Field of Search** ..... **D8/44, 60, 68, D8/61; 140/93.2, 123, 123.5**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 403,937 \* 1/1999 Hattori ..... D8/68
- D. 408,242 \* 4/1999 Yamamoto ..... D8/61
- D. 408,698 \* 4/1999 Chen ..... D8/44
- D. 412,820 \* 8/1999 Lee ..... D8/44
- 5,909,751 \* 6/1999 Teagno ..... 140/123.5
- 5,921,290 \* 7/1999 Dyer et al. .... 140/123.5
- 6,073,664 \* 6/2000 Angarola ..... 140/123.5

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Vickers, Daniels & Young

(57) **CLAIM**

The ornamental design for a housing for hand-operated apparatus for tightening and closing of binding strips, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side view of a housing for hand-operated apparatus for tightening and closing of binding strips in accordance with the present invention;

FIG. 2 is a left side view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 3 is a top view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 4 is a right side perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 5 is a back perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 6 is a left side perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 7 is a front perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 8 is a bottom perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1; and,

FIG. 9 is a right side perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1.

**1 Claim, 9 Drawing Sheets**







FIG. 1






FIG. 2






FIG. 3






FIG. 4






FIG. 5






FIG. 6






FIG. 7





FIG. 8





FIG. 9