



US00D445011S

(12) **United States Design Patent**
Schneider et al.

(10) **Patent No.: US D445,011 S**

(45) **Date of Patent: ** Jul. 17, 2001**

(54) **HOUSING FOR HAND-OPERATED APPARATUS FOR TIGHTENING AND CLOSING OF BINDING STRIPS**

(75) Inventors: **Oliver Schneider**, Oppenheim; **Armin Klein**, Wiesbaden, both of (DE)

(73) Assignee: **Cyklop GmbH** (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/129,775**

(22) Filed: **Sep. 18, 2000**

(30) **Foreign Application Priority Data**

Mar. 22, 2000 (DE) 4 00 02 940

(51) **LOC (7) Cl.** **08-01**

(52) **U.S. Cl.** **D8/61; D8/44**

(58) **Field of Search** **D8/44, 60, 68, D8/61; 140/93.2, 123, 123.5**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 403,937	*	1/1999	Hattori	D8/68
D. 408,242	*	4/1999	Yamamoto	D8/61
D. 408,698	*	4/1999	Chen	D8/44
D. 412,820	*	8/1999	Lee	D8/44
5,909,751	*	6/1999	Teagno	140/123.5
5,921,290	*	7/1999	Dyer et al.	140/123.5
6,073,664	*	6/2000	Angarola	140/123.5

* cited by examiner

Primary Examiner—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Vickers, Daniels & Young

(57) **CLAIM**

The ornamental design for a housing for hand-operated apparatus for tightening and closing of binding strips, as shown and described.

DESCRIPTION

FIG. 1 is a right side view of a housing for hand-operated apparatus for tightening and closing of binding strips in accordance with the present invention;

FIG. 2 is a left side view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 3 is a top view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 4 is a right side perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 5 is a back perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 6 is a left side perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 7 is a front perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1;

FIG. 8 is a bottom perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1; and,

FIG. 9 is a right side perspective view of the housing for hand-operated apparatus for tightening and closing of binding strips as seen in FIG. 1.

1 Claim, 9 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8



FIG. 9