



US00D445013S

(12) **United States Design Patent**  
Etter et al.(10) Patent No.: **US D445,013 S**  
(45) Date of Patent: \*\* Jul. 17, 2001(54) **BATTERY POWERED CIRCULAR SAW**(75) Inventors: **Mark A. Etter; Thomas Arnold Mooty**, both of Jackson, TN (US)(73) Assignee: **Porter-Cable Corporation**, Jackson, TN (US)(\*\*) Term: **14 Years**(21) Appl. No.: **29/123,806**(22) Filed: **May 25, 2000****Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/105,750, filed on Jun. 1, 1999, now abandoned.

(51) LOC (7) Cl. .... **08-03**(52) U.S. Cl. .... **D8/66**

(58) Field of Search ..... D8/61-70; 81/57.11, 81/54, 57.42; 30/376, 377, 387-391; 83/574, 663, 523, 666, 863, 701, 544, 545; 310/40 R,

50

**References Cited****U.S. PATENT DOCUMENTS**

D. 177,767	*	5/1956	Seeger	.....	D8/66
D. 180,181		4/1957	Ernest .		
D. 259,235		5/1981	Dibbern, Jr. et al. .		
D. 281,663		12/1985	Tsuru et al. .		
D. 320,729		10/1991	Zurwelle .		
D. 326,399		5/1992	Fushiya et al. .		
D. 329,363		9/1992	Sasaki et al. .		
D. 408,248	*	4/1999	Zurwelle et al. ....	D8/66	
D. 411,425		6/1999	Sugimoto et al. .		
D. 416,181		11/1999	Chung .		

(List continued on next page.)

**OTHER PUBLICATIONS**

Black And Decker catalog, p. 70, Heavy Duty Circular Saws, items 2694, 2684, and 2683.\*

DeWalt® 1997 Catalog, front cover and pp. 14, 18, 23 and 75.

Tools on Sale™ 1997 Catalog, front cover and pp. 8, 9, 12 and 20.

*Primary Examiner*—Jeffrey Asch(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.(57) **CLAIM**

The ornamental design for a battery powered circular saw, as shown and described.

**DESCRIPTION**

FIG. 1 is a front and top right perspective view of a battery powered circular saw having a rechargeable battery with a first voltage capacity;

FIG. 2 is a front view of the battery powered circular saw shown in FIG. 1.

FIG. 3 is a rear view of the battery powered circular saw shown in FIG. 1.

FIG. 4 is a right side view of the battery powered circular saw shown in FIG. 1.

FIG. 5 is a left side view of the battery powered circular saw shown in FIG. 1.

FIG. 6 is a top view of the battery powered circular saw shown in FIG. 1.

FIG. 7 is a bottom view of the battery powered circular saw shown in FIG. 1.

FIG. 8 is a front and top right perspective view of a battery powered circular saw having a rechargeable battery with a second voltage capacity;

FIG. 9 is a right side view of the battery powered circular saw shown in FIG. 8.


FIG. 10 is a left side view of the battery powered circular saw shown in FIG. 8.

FIG. 11 is a front view of the battery powered circular saw shown in FIG. 8.

FIG. 12 is a back view of the battery powered circular saw shown in FIG. 8.

FIG. 13 is a top view of the battery powered circular saw shown in FIG. 8; and,

FIG. 14 is a bottom view of the battery powered circular saw shown in FIG. 8.

**1 Claim, 14 Drawing Sheets**

# US D445,013 S

Page 2

---


## U.S. PATENT DOCUMENTS

D. 421,702 \* 3/2000 Sakai et al. .... D8/66  
D. 428,318 \* 7/2000 Gallagher et al. .... D8/66  
D. 428,319 \* 7/2000 Gallagher ..... D8/66  
D. 433,300 \* 11/2000 Buck ..... D8/66  
4,397,089 \* 8/1983 Pease ..... 30/373  
4,516,324 \* 5/1985 Heininger, Jr. et al. .... 30/377


4,856,394 \* 8/1989 Clowers ..... 30/376 X  
5,375,495 \* 12/1994 Boston et al. ..... 83/520  
5,758,425 6/1998 Gallagher et al. ....  
5,850,698 \* 12/1998 Hurn et al. ..... 30/391  
5,911,482 \* 6/1999 Campbell et al. ..... 30/390

\* cited by examiner


**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 7**




**FIG. 8**




**FIG. 9**




**FIG. 10**




**FIG. 11**



**FIG. 12**



**FIG. 13**



**FIG. 14**

