



US00D445034S

(12) **United States Design Patent**  
**Bretz et al.**

(10) **Patent No.: US D445,034 S**

(45) **Date of Patent: \*\* Jul. 17, 2001**

(54) **BOTTLE**

**OTHER PUBLICATIONS**

(75) Inventors: **John M. Bretz**, Crystal Lake; **Susan L. Colten**, Wilmette; **Rachel Orland**, Chicago; **Jeffrey L. Pattee**; **Susan Vanderwiel**, both of Palatine, all of IL (US); **David Piccioli**, Auburn, NH (US); **Bradley L. Allen**, St. Charles; **Bryce Rutter**, St. Louis, both of MO (US); **William Scott Portzline**, Portland, OR (US)

Jun. 29, 1996, picture of bottle (Exhibit A).  
Isostar bottle (date not provided).  
Dannon water bottle (date not provided).  
Gatorade 500 mL Korean PET bottle (date not provided).  
Evian water bottle (date not provided).  
Gatorade 20 oz. sport bottle (date not provided).  
Snapple 32 oz. PET bottle (date not provided).

(73) Assignee: **Stokely-Van Camp, Inc.**, Chicago, IL (US)

*Primary Examiner*—Lucy Lieberman  
(74) *Attorney, Agent, or Firm*—Lars S. Johnson

(\* ) Notice: This patent is subject to a terminal disclaimer.

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/064,096**

FIG. 1 is a perspective view of a bottle showing our new design;

(22) Filed: **Dec. 6, 1996**

FIG. 2 is a front elevation of FIG. 1, the rear and side elevations are the same except for the conventional screw threading on the bottle neck and the placement of the indentations on the base;

(51) **LOC (7) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/520; D9/538; D9/554; D9/557**

FIG. 3 is a side view of the bottle depicted in FIG. 2 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 2;

(58) **Field of Search** ..... D9/500, 502, 503, D9/504, 505, 545, 537-541, 520, 554, 556, 557, 555; 215/382, 383, 384, 400, 370-375

FIG. 4 is a top view of the bottle depicted in FIG. 2;

FIG. 5 is a bottom view of the bottle depicted in FIG. 2;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 64,152	*	3/1924	Sweeney	.....	D9/502
D. 116,861		9/1939	Mas	.....	D9/500
D. 159,616	*	8/1950	Hoffman	.....	D9/557
D. 166,542		4/1952	Kunett	.....	D9/540
D. 183,040		6/1958	Du Pree	.....	D9/557
D. 208,504	*	9/1967	Trombley	.....	D9/502

(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

64-9146 A		1/1989	(JP)	.	
5553	*	2/1993	(PH)	.....	D9/502

FIG. 6 is a perspective view of a second embodiment of a bottle as depicted in FIG. 1;


FIG. 7 is a front elevation of FIG. 6, the rear and side elevations are the same except for the conventional screw threading on the bottle neck and the placement of the indentations on the base;

FIG. 8 is a side view of the bottle depicted in FIG. 7, representing a partial rotation of the bottle about its vertical center axis from the side view depicted in FIG. 7; and,

FIG. 9 is a top view of the bottle depicted in FIG. 7.

The bottom of the second embodiment is the same as the bottom of the first embodiment.

**1 Claim, 6 Drawing Sheets**



# US D445,034 S

Page 2

## U.S. PATENT DOCUMENTS

D. 214,158	5/1969	Pettengill .....	D9/100	D. 379,151	5/1997	Stevens .....	D9/503
D. 217,230	4/1970	Kissig .....	D9/119	D. 379,224	5/1997	McCallister et al. ....	D24/121
D. 218,019	7/1970	Lattraye et al. ....	D9/73	D. 379,306 *	5/1997	Peykoff .....	D9/502
D. 235,736	7/1975	Strand et al. ....	D9/111	D. 379,760	6/1997	Zogg .....	D9/502
D. 241,715	10/1976	Plummer .		D. 379,762 *	6/1997	Zogg .....	D9/502
D. 269,500	6/1983	Bit .....	D9/350	D. 382,806	8/1997	Wilson et al. .	
D. 270,520 *	9/1983	Strand .....	D9/500	D. 396,413	7/1998	Duboff .....	D9/539
D. 283,794	5/1986	Richter .....	D9/396	D. 396,640	8/1998	Conrad et al. ....	D9/502
D. 292,269	10/1987	Jacobs et al. .		D. 397,297	8/1998	Yang .....	D9/523
D. 292,374	10/1987	Jacobs et al. ....	D9/349	D. 397,941	9/1998	Lauth .....	D9/502
D. 292,375	10/1987	Jacobs et al. ....	D9/349	D. 398,538	9/1998	Fuquen et al. ....	D9/542
D. 300,511	4/1989	Cramer .....	D9/396	D. 401,860	12/1998	Granelli .....	D9/538
D. 306,262 *	2/1990	Bit .....	D9/502	D. 407,649	4/1999	McCallister et al. ....	D9/520
D. 315,869	4/1991	Collette .		3,331,521	7/1967	Paige .....	215/1
D. 320,154	9/1991	Alberghini et al. .		4,850,494	7/1989	Howard, Jr. ....	215/1 C
D. 334,342	3/1993	Thompson .		5,024,341	6/1991	Dekerle .....	215/11.1
D. 335,084	4/1993	Snyder .....	D9/502	5,141,120	8/1992	Brown et al. ....	215/1 C
D. 344,457	2/1994	Prevot et al. ....	D9/537	5,337,909	8/1994	Vaillencourt .	
D. 345,693	4/1994	Edstrom .		5,341,946 *	8/1994	Vaillencourt et al. ....	215/383 X
D. 348,606	7/1994	Edstrom .		5,382,250	1/1995	Pasquale .....	215/1 C
D. 352,245	11/1994	Krishnakumar et al. .		5,632,397	5/1997	Fandoux et al. ....	215/382
D. 370,178	5/1996	Pêtre et al. ....	D9/520	5,635,229	6/1997	Ray .....	426/112
D. 372,091	7/1996	McCallister et al. ....	D24/121	5,746,339	5/1998	Petre et al. ....	215/383
D. 374,147	10/1996	Lillelund et al. ....	D7/300.1	5,759,653	6/1998	Collette et al. ....	428/35.9
D. 379,150	5/1997	Richardson .					

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

