



US00D445071S

(12) **United States Design Patent**
Brightwell et al.(10) Patent No.: **US D445,071 S**
(45) Date of Patent: ** Jul. 17, 2001(54) **TIRE TREAD**(75) Inventors: **Robert Allen Brightwell**, Uniontown; **Eric John Marazzi**, Akron; **Thomas Allen Wright**; **Kevin Christopher Legge**, both of Uniontown; **Hiroshi Takata**, Hudson; **Paul Bryan Maxwell**, Kent, all of OH (US)(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)(**) Term: **14 Years**(21) Appl. No.: **29/127,316**(22) Filed: **Aug. 3, 2000**(51) LOC (7) Cl. **12-15**(52) U.S. Cl. **D12/147**

(58) Field of Search D12/134-152; 152/209.1, 209.3, 209.9, 209.13, 209.16, 209.28

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 292,081	9/1987	Kuroda	D12/146
D. 312,230	11/1990	Wallet et al.	D12/147
D. 323,311	1/1992	Yamashita	D12/148
D. 339,559	9/1993	Guspodin et al.	D12/147
D. 354,466	1/1995	Regallis et al.	D12/147
D. 364,136	11/1995	Killian	D12/147
D. 370,445	6/1996	Wakamatsu et al.	D12/147
D. 379,788	6/1997	Graas	D12/147
D. 381,000 *	7/1997	White	D12/147
D. 384,618	10/1997	Guspodin et al.	D12/147
D. 388,035	12/1997	Heinen et al.	D12/147
D. 388,374	12/1997	Lim et al.	D12/147
D. 400,130	10/1998	Blankenship et al.	D12/146

D. 400,135	10/1998	Blankenship et al.	D12/147
D. 422,246	4/2000	Fierro et al.	D12/146
D. 426,500	6/2000	Picard et al.	D12/147
D. 426,795	6/2000	Oliver	D12/146
D. 426,796	6/2000	Oliver et al.	D12/146
D. 429,477	8/2000	Williams	D12/147
4,609,022	9/1986	Fetty et al.	152/209 R
5,733,393	3/1998	Hubbell et al.	152/209 R
5,865,921	2/1999	Zakelj et al.	156/110.1
6,076,579	6/2000	Matsumoto	152/209.15

OTHER PUBLICATIONS

Goodyear Invicta GS Tire, 1999 Tread Design Guide, p. 37. 1/5, Jan. 1999.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) Attorney, Agent, or Firm—David E Wheeler; T P Lewandowski

(57)


CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and, FIG. 4 is an enlarged fragmentary perspective view. In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4