



US00D445132S

(12) **United States Design Patent**  
**Saito**

(10) **Patent No.:** **US D445,132 S**

(45) **Date of Patent:** **\*\* Jul. 17, 2001**

(54) **PATTERN OF A WRITING INSTRUMENT  
BARREL**

(75) Inventor: **Juri Saito**, Kawagoe (JP)

(73) Assignee: **Kotobuki & Co., Ltd.**, Kyoto (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/130,082**

(22) Filed: **Sep. 28, 2000**

(30) **Foreign Application Priority Data**

Mar. 28, 2000 (JP) ..... 12-011751

(51) **LOC (7) Cl.** ..... **19-06**

(52) **U.S. Cl.** ..... **D19/55**

(58) **Field of Search** ..... D19/35, 36, 41-51,  
D19/53-58, 81-85; 401/6, 7, 88, 209, 99,  
100, 65

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 338,038 \* 8/1993 Oka et al. .... D19/48
- D. 341,622 \* 11/1993 Poisson ..... D19/48
- D. 355,673 \* 2/1995 Takahashi ..... D19/48
- D. 403,705 \* 1/1999 Izushima et al. .... D19/51
- D. 423,577 \* 4/2000 Baudino et al. .... D19/48

- 779,092 \* 1/1905 Huber ..... 401/6
- 4,056,325 \* 11/1977 Maruyama ..... 401/65
- 5,558,452 \* 9/1996 Oka et al. .... 401/6
- 5,971,644 \* 10/1999 Kageyama et al. .... 401/99
- 6,019,534 \* 2/2000 Heins ..... 401/6

\* cited by examiner

*Primary Examiner*—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—McGinn & Gibb, PLLC

(57) **CLAIM**

The ornamental design for a pattern of a writing instrument barrel, as shown and described.

**DESCRIPTION**

FIG.1 is a front elevational view according to the present invention;

FIG. 2 is a right side elevational view of FIG. 1, the left side being identical to the right side;

FIG. 3 is a rear elevational view of FIG. 1;

FIG. 4 is a top plan view of FIG. 1;

FIG. 5 is a bottom plan view of FIG. 1; and,

FIG. 6 is a perspective view of FIG. 1.

The broken lines showing of a writing instrument in FIGS. 1-6 are for illustrative purposes only and form no parts of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG. 2




FIG. 1



FIG. 3




FIG. 6




FIG. 4




FIG. 5