



US00D445248S

(12) **United States Design Patent**  
**Snider**

(10) **Patent No.:** **US D445,248 S**

(45) **Date of Patent:** **\*\* Jul. 24, 2001**

(54) **WORKBELT FASTENER STORAGE BAG**

(75) **Inventor:** **Gregory Scott Snider**, Bel Air, MD (US)

(73) **Assignee:** **Black & Decker Inc.**, Newark, DE (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/127,247**

(22) **Filed:** **Aug. 2, 2000**

(51) **LOC (7) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/228**

(58) **Field of Search** ..... D3/228, 215, 224,  
D3/226, 221, 303, 229; 224/904, 901, 240,  
245, 242, 666, 667, 677

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 316,186	*	4/1991	Seber	.....	D3/228
D. 316,485		4/1991	Seber	.	
D. 348,778		7/1994	Dancyger	.	
D. 348,982	*	7/1994	Dancyger	.....	D3/224
D. 350,229		9/1994	Dancyger	.	
D. 381,804		8/1997	Dancyger	.	
D. 418,291		1/2000	Dancyger	.	
D. 423,773	*	5/2000	Dancyger	.....	D3/228
5,341,975		8/1994	Marinescu	.	

**OTHER PUBLICATIONS**

Hyde Tools Catalog # 272 1986, No. 09076 Nail/Drywall Tool Bag.\*

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for a workbelt fastener storage bag, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a workbelt fastener storage bag;

FIG. 2 is a front view thereof;

FIG. 3 is a right side view thereof (the left side view is a mirror image thereof);

FIG. 4 is a back view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front perspective view of a workbelt fastener storage bag according to a second embodiment;

FIG. 8 is a front view thereof;

FIG. 9 is a right side view thereof (the left side view is a mirror image thereof);

FIG. 10 is a back view thereof;

FIG. 11 is a top view thereof;

FIG. 12 is a bottom view thereof;

FIG. 13 is a front perspective view of a workbelt fastener storage bag according to a third embodiment;

FIG. 14 is a front view thereof;


FIG. 15 is a right side view thereof (the left side view is a mirror image thereof);


FIG. 16 is a back view thereof;

FIG. 17 is a top view thereof; and,


FIG. 18 is a bottom view thereof.

**1 Claim, 6 Drawing Sheets**







**FIG. 1**




**FIG. 5**




**FIG. 4**




**FIG. 2**




**FIG. 3**




**FIG. 6**




**FIG. 7**




**FIG. 11**




**FIG. 10**



**FIG. 8**




**FIG. 9**




**FIG. 12**







**FIG. 13**




**FIG. 17**




**FIG. 16**



**FIG. 14**



**FIG. 15**



**FIG. 18**