



US00D445360S

(12) **United States Design Patent** (10) **Patent No.:** **US D445,360 S**
Brakebill, Jr. (45) **Date of Patent:** **** Jul. 24, 2001**

(54) **BELT BUCKLE**

(76) Inventor: **J. W. Brakebill, Jr.**, P.O. Box 324,
Francisco, IN (US) 47649

(**) Term: **14 Years**

(21) Appl. No.: **29/119,655**

(22) Filed: **Mar. 4, 2000**

(51) **LOC (7) Cl.** **02-07**

(52) **U.S. Cl.** **D11/232**

(58) **Field of Search** D11/200-220,
D11/224, 232; 24/163 R, 163 K, 615, 616,
614, 633, 656

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 178,017 * 6/1956 Savino D11/232
D. 236,322 * 8/1975 Stolarz D11/200
D. 333,805 * 3/1993 Hogan D11/232
D. 420,621 * 2/2000 Brakebill D11/232

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Catherine R. Oliver

(57) **CLAIM**

The ornamental design for a belt buckle, as shown and described.

DESCRIPTION

FIG. 1 is a left side view of a belt buckle showing my new design,

FIG. 2 is an isometric view thereof,

FIG. 3 is a right side view thereof,

FIG. 4 is a bottom view thereof; and,

FIG. 5 is an isometric view with the surface elements shown in extended position.

The broken line showing of the rear attaching portion of the buckle is for illustrative purposes only and forms no part of the claimed design.

The rear of the belt buckle is plain and unornamented.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

