



US00D445433S

(12) **United States Design Patent**  
**Hollingsworth**

(10) **Patent No.:** **US D445,433 S**

(45) **Date of Patent:** **\*\* Jul. 24, 2001**

- (54) **CARDING WIRE**
- (75) Inventor: **John D. Hollingsworth**, Greenville, SC (US)
- (73) Assignee: **John D. Hollingsworth On Wheels, Inc.**, Greenville, SC (US)
- (\*\*) Term: **14 Years**

5,230,124	7/1993	Booth	19/112
5,423,171	6/1995	Stahlecker et al.	57/408
5,428,949	7/1995	Stahlecker	57/408
5,467,505	11/1995	Graf	19/114
5,566,541	10/1996	Stahlecker et al.	57/408
5,581,848	12/1996	Egerer	19/114
5,642,611	7/1997	Stahlecker	57/408
5,701,637	12/1997	Graf	19/114
5,755,012	5/1998	Hollingsworth	19/114
5,898,978	5/1999	Hollingsworth et al.	19/114

- (21) Appl. No.: **29/111,465**
- (22) Filed: **Sep. 28, 1999**

**FOREIGN PATENT DOCUMENTS**

- (51) **LOC (7) Cl.** ..... **15-06**
- (52) **U.S. Cl.** ..... **D15/78**
- (58) **Field of Search** ..... D15/66, 78; 19/113, 19/114, 1; 57/408

82527	8/1895	(DE)	.
1322217	2/1963	(FR)	19/114
1484526	6/1967	(FR)	19/114
397265	2/1889	(GB)	.
566	1/1910	(GB)	19/114
2 165 561 A	4/1986	(GB)	D01G/15/84

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

54,450	5/1866	Waite	.
83,179	10/1868	Lawrence	19/114
495,694	4/1893	Duesberg-Delrez	.
564,052	7/1896	Deiss	19/113
906,993	12/1908	Bates et al.	19/114
2,937,413	5/1960	Hollingsworth	19/114
3,175,251	3/1965	Reiterer	19/114
3,204,297	9/1965	Wada	19/114
3,419,941	1/1969	Moriwaki	19/234
4,221,023	9/1980	Henderson et al.	19/113
4,398,318	8/1983	Ashworth, III	19/114
4,528,724	7/1985	Bisquolm	19/113
4,625,367	12/1986	Sole-Leris	10/113
4,646,389	3/1987	Stahlecker et al.	19/97
4,651,387	3/1987	Giuliani	19/113
4,653,152	3/1987	Wada	19/114
4,696,080	9/1987	Nakamura	19/114
4,716,629	1/1988	Iwata et al.	19/114
4,833,757	5/1989	Stahlecker	19/97
4,858,275	8/1989	Stahlecker et al.	19/97
4,964,195	10/1990	Hollingsworth	19/114

*Primary Examiner*—Sandra L. Morris  
(74) *Attorney, Agent, or Firm*—Leatherwood Walker Todd & Mann, P.C.


(57) **CLAIM**


The ornamental design for carding wire, as shown and described.

**DESCRIPTION**


FIG. 1 is a plan view of carding wire showing my new design;  
FIG. 2 is a right side elevational view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a left end view thereof;  
FIG. 6 is a right end view thereof;  
FIG. 7 is a right side elevational view of a second embodiment thereof; and,  
FIG. 8 is a right side elevational view of a third embodiment thereof.

**1 Claim, 3 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*