



US00D445624S

(12) **United States Design Patent**
Futagami

(10) **Patent No.:** **US D445,624 S**

(45) **Date of Patent:** **** Jul. 31, 2001**

(54) **AIR PILLOW**

(76) Inventor: **Taneaki Futagami**, 4-2-33-302,
Nishikaniya, Minamiku, Hiroshimashi,
Hiroshimaken (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/131,623**

(22) Filed: **Oct. 22, 2000**

(30) **Foreign Application Priority Data**

Apr. 28, 2000 (JP) 12-15308

(51) **LOC (7) Cl.** **06-09**

(52) **U.S. Cl.** **D6/604; D6/601**

(58) **Field of Search** D6/595, 596, 601,
D6/604; 5/630, 636, 644, 652-655, 655.3,
655.4, 655.5, 655.9, 656, 945, 907

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 255,966 * 7/1980 Stadel D6/604
D. 318,969 * 8/1991 Byrn D6/601

D. 322,380 * 12/1991 El-Asir D6/604

* cited by examiner

Primary Examiner—Janice E. Seeger

(57) **CLAIM**

The ornamental design for an air pillow, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an air pillow showing my new design.

FIG. 2 is a front elevation.

FIG. 3 is a cross section elevation of FIG. 2, I—I line.

FIG. 4 is a rear elevation.

FIG. 5 is a right side elevation.

FIG. 6 is a left side elevation.

FIG. 7 is a top plan elevation.

FIG. 8 is a bottom plan elevation.

FIG. 9 is a front elevation of condition not filled air.

FIG. 10 is a rear elevation of condition not filled air.

FIG. 11 is a top plan elevation of condition not filled air.

FIG. 12 is a bottom plan elevation of condition not filled air; and,

FIG. 13 is a right side elevation of condition not filled air.

1 Claim, 4 Drawing Sheets





Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11



Fig. 12



Fig. 13

