

US00D445759S

(12) **United States Design Patent** (10) **Patent No.:** **US D445,759 S**
Insley (45) **Date of Patent:** **** Jul. 31, 2001**

(54) **INTEGRAL TRIANGULAR BATTERY RECHARGER**

(75) Inventor: **Bryan George Insley**, West Midlands (GB)

(73) Assignee: **Uni-Lite International Limited**, Worcestershire (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/124,944**

(22) Filed: **Jun. 14, 2000**

(30) **Foreign Application Priority Data**

Jul. 23, 1999 (GB) 2085287

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/107**

(58) **Field of Search** D13/107, 108, D13/110; 320/110–115; 336/90, 92; 363/146

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 347,617 * 6/1994 Tattari D13/107

D. 394,641 * 5/1998 Seragnoli D13/108

D. 432,689 * 10/2000 Yuen D13/108 X

D. 434,370 * 11/2000 Sun et al. D13/107

5,744,934 * 4/1998 Wu 320/111

* cited by examiner

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye

(57) **CLAIM**

The ornamental design for an “integral triangular battery recharger”, as shown and described.

DESCRIPTION

FIG. 1 is a front view;

FIG. 2 is a rear view;

FIG. 3 is a left side view;


FIG. 4 is a right side view;

FIG. 5 is a plan view from the top;

FIG. 6 is an underneath view; and,

FIG. 7 is a front perspective view from above and the right side.

1 Claim, 4 Drawing Sheets






Fig. 2




Fig. 1




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7