



US00D445787S

(12) **United States Design Patent**  
**Francis**

(10) **Patent No.:** **US D445,787 S**

(45) **Date of Patent:** **\*\* Jul. 31, 2001**

(54) **ELECTRONIC BOOK**

(76) Inventor: **Keith M. Francis**, Francis  
Communications, 137 Appleton St.,  
Boston, MA (US) 02116

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/129,596**

(22) Filed: **Sep. 18, 2000**

(51) **LOC (7) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/345**

(58) **Field of Search** ..... D14/341, 342,  
D14/345, 327; D19/26, 59, 60; D18/1,  
2, 7; 434/201; 708/105; 349/12

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 378,686 \* 4/1997 Proctor et al. .... D19/60
- D. 385,299 \* 10/1997 Adams ..... D14/342
- D. 402,310 \* 12/1998 Hendricks ..... D14/345
- 4,340,375 \* 7/1982 Sakaue et al. .... 434/201
- 5,898,600 \* 4/1999 Isashi ..... 708/105

\* cited by examiner

*Primary Examiner*—Freda Nunn

(74) *Attorney, Agent, or Firm*—Lambert & Associates;  
Gary E. Lambert; Donald J. MacDonald

(57) **CLAIM**

The ornamental design for an electronic book, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an electronic book showing my new design;

FIG. 2 is a front elevational view of the device of FIG. 1 in an open position;

FIG. 3 is a rear elevational view of the device of FIG. 1 in an open position;

FIG. 4 is a left side elevational view of the device of FIG. 1 in an open position;

FIG. 5 is a right side elevational view of the device of FIG. 1 in an open position;

FIG. 6 is a top plan view of the device of FIG. 1 in an open position;

FIG. 7 is a bottom plan view of the device of FIG. 1 in an open position;

FIG. 8 is a rear elevational view of the device of FIG. 1 in a closed position;

FIG. 9 is a front elevational view of the device of FIG. 1 in a closed position;


FIG. 10 is a left side elevational view of the device of FIG. 1 in a closed position;

FIG. 11 is a right side elevational view of the device of FIG. 1 in a closed position;

FIG. 12 is a top plan view of the device of FIG. 1 in a closed position; and,

FIG. 13 is a bottom plan view of the device of FIG. 1 in a closed position.

**1 Claim, 9 Drawing Sheets**






FIG. 1




FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG.9






FIG. 10




FIG. 11




FIG. 12




FIG. 13