



US00D446118S

(12) **United States Design Patent**
Michael et al.

(10) **Patent No.: US D446,118 S**
(45) **Date of Patent: ** Aug. 7, 2001**

(54) **BOTTLE SECURITY CLOSURE**

(76) Inventors: **Robert L. Michael**, 6897 Ponteberry St. NW., Canton, OH (US) 44718; **Nicholas M. Sedon**, 5208 Sherlin NW., Massillon, OH (US) 44646; **Christopher G. Gallagher**, 7 Mayfield Ave., Akron, OH (US) 44313; **Dennis D. Belden, Jr.**, 6485 Pebblecreek NW., Canton, OH (US) 44718; **Michael S. Jaeb**, 10336 Township Rd. 262, Millersburg, OH (US) 44654

(**) Term: **14 Years**

(21) Appl. No.: **29/120,521**

(22) Filed: **Mar. 20, 2000**

Related U.S. Application Data

- (63) Continuation-in-part of application No. 09/338,819, filed on Jun. 23, 1999.
- (60) Provisional application No. 60/090,479, filed on Jun. 24, 1998.
- (51) **LOC (7) Cl.** **09-07**
- (52) **U.S. Cl.** **D9/443**
- (58) **Field of Search** D9/435, 436, 443, D9/445, 452, 453, 454; 215/201, 207, 215, 250, 295, 302

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 378,907 * 3/1888 Stepp 215/297
- D. 422,914 * 4/2000 Lasky D9/451
- D. 428,302 * 7/2000 Miller D7/396.1
- 1,193,158 * 8/1916 Laguionie 215/250

- 1,453,601 * 5/1923 Powell 215/253
- 1,463,145 * 7/1923 Koss 215/295
- 4,172,532 * 10/1979 Palsson 215/215
- 4,182,458 * 1/1980 Meckler 215/307
- 4,721,221 * 1/1988 Barriac 215/350
- 4,731,512 * 3/1988 Barriac 215/220
- 5,040,694 * 8/1991 Gambello 220/255
- 5,429,257 * 7/1995 Greenfield et al. 215/295
- 5,704,502 * 1/1998 Greenfield 215/295
- 5,893,480 * 4/1999 Dore et al. 220/784

* cited by examiner

Primary Examiner—Cathron B. Brooks
(74) *Attorney, Agent, or Firm*—Sand & Sebolt

(57) **CLAIM**


The ornamental design for a bottle security closure, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle security closure according to the concepts of the present invention; FIG. 2 is a front view of the bottle security closure of FIG. 1; FIG. 3 is a right side elevational view of FIG. 2, the left side being a mirror image thereof; FIG. 4 is a top plan view of FIG. 2; FIG. 5 is a perspective view of a first alternative embodiment of the bottle security closure of the present invention; FIG. 6 is a front elevational view of the bottle security closure of FIG. 5; FIG. 7 is a right side elevational view of FIG. 6, the left side being a mirror image thereof; and, FIG. 8 is a top plan view of FIG. 6.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7




FIG-8