



US00D446183S

(12) **United States Design Patent** (10) **Patent No.:** **US D446,183 S**
Miyashita (45) **Date of Patent:** **** Aug. 7, 2001**

(54) **RECHARGEABLE BATTERY**
(75) Inventor: **Shin Miyashita**, Tokyo (JP)
(73) Assignee: **Sony Corporation**, Tokyo (JP)
(**) Term: **14 Years**
(21) Appl. No.: **29/121,482**
(22) Filed: **Apr. 7, 2000**

Related U.S. Application Data

(62) Division of application No. 29/099,985, filed on Feb. 1, 1999.
(51) **LOC (7) Cl.** **13-02**
(52) **U.S. Cl.** **D13/103**
(58) **Field of Search** D13/103; 429/96-100,
429/156, 163, 174

References Cited

U.S. PATENT DOCUMENTS

D. 377,477	1/1997	Harata et al.	D13/103
5,399,446	3/1995	Takahashi	429/90
5,415,947	5/1995	Mitsui et al.	429/1
5,626,979	5/1997	Mitsui et al.	429/97
5,672,441	9/1997	Aoki et al.	429/97
5,798,906	8/1998	Ando et al.	361/520

Primary Examiner—Joel Sincavage
(74) *Attorney, Agent, or Firm*—Rader, Fishman & Grauer

CLAIM

The ornamental design for a rechargeable battery, shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a rechargeable battery showing my new design;

FIG. 2 is a top plan view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a rear elevational view thereof; and
FIG. 7 is a bottom plan view thereof.
FIG. 8 is a perspective view of a second embodiment of a rechargeable battery showing my new design.
FIG. 9 is a top plan view thereof;
FIG. 10 is a left side elevational view thereof;
FIG. 11 is a front elevational view thereof;
FIG. 12 is a right side elevational view thereof;
FIG. 13 is a rear elevational view thereof; and,
FIG. 14 is a bottom plan view thereof.
FIG. 15 is a perspective view of a third embodiment of a rechargeable battery showing my new design;
FIG. 16 is a top plan view thereof;
FIG. 17 is a left side elevational view thereof;
FIG. 18 is a front elevational view thereof;
FIG. 19 is a right side elevational view thereof;
FIG. 20 is a rear elevational view thereof; and,
FIG. 21 is a bottom plan view thereof.
FIG. 22 is a perspective view of a fourth embodiment of a rechargeable battery showing my new design;
FIG. 23 is a top plan view thereof;
FIG. 24 is a left side elevational view thereof;
FIG. 25 is a front elevational view thereof;
FIG. 26 is a right side elevational view thereof;
FIG. 27 is a rear elevational view thereof; and,
FIG. 28 is a bottom plan view thereof.

1 Claim, 12 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28

