



US00D446473B1

(12) **United States Design Patent**
Chung

(10) **Patent No.:** **US D446,473 S**

(45) **Date of Patent:** **** Aug. 14, 2001**

(54) **BUCKLE**

(75) Inventor: **Yao-Tsu Chung**, Taoyuan (TW)

(73) Assignee: **Taiwan Industrial Fastener Corporation**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/134,676**

(22) Filed: **Dec. 28, 2000**

(51) **LOC (7) Cl.** **02-07**

(52) **U.S. Cl.** **D11/218**

(58) **Field of Search** D11/200, 216,
D11/218; 24/307, 310, 312, 313, 315, 316,
616, 200, 196, 625

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 340,008 * 10/1993 Anscher D11/218
- D. 352,254 * 11/1994 Prosser D11/218
- D. 399,172 * 10/1998 Anscher D11/218
- 4,171,555 * 10/1979 Bakker et al. 24/200

- 4,608,735 * 9/1986 Kasai 24/196
- 4,677,711 * 7/1987 Anscher 24/200
- 4,791,709 * 12/1988 Fildan 24/196

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Rabin & Champagne, P.C.


(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a buckle showing my design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof; and,
 FIG. 8 is a perspective view shown in a position of use.
 It being understood that the broken lines are for illustrative purposes only.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8