



US00D446900B1

(12) **United States Design Patent**  
**Koefeldt et al.**

(10) **Patent No.:** **US D446,900 S**

(45) **Date of Patent:** **\*\* Aug. 21, 2001**

(54) **NESTABLE PALLET**

(75) **Inventors:** **Gerald R. Koefeldt**, Hermosa Beach, CA (US); **William P. Apps**, Alpharetta, GA (US); **Roger S. Hsu**, Torrance, CA (US); **Cyril J. Balfe**, Lawrenceville, GA (US)

(73) **Assignee:** **Rehrig Pacific Company**, Los Angeles, CA (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/117,132**

(22) **Filed:** **Jan. 18, 2000**

**Related U.S. Application Data**

(63) Continuation of application No. 09/376,883, filed on Aug. 18, 1999.

(51) **LOC (7) Cl.** ..... **09-08**

(52) **U.S. Cl.** ..... **D34/38**

(58) **Field of Search** ..... D34/38; 108/51.11, 108/51.1, 51.3, 54.1, 56.1; D21/484, 485, 489

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

Re. 32,344	2/1987	Wind .	
D. 229,486	* 12/1973	Roper .....	D34/38
D. 258,948	* 4/1981	Stump, Jr. ....	D34/38
D. 355,064	* 1/1995	Kinzie et al. ....	D34/38
D. 369,743	* 5/1996	Pintar et al. ....	D34/38
D. 371,881	* 7/1996	Provot .....	D34/38
D. 388,931	* 1/1998	Constantino et al. ....	D34/38
D. 400,682	11/1998	Constantino et al. .	
D. 403,829	* 1/1999	Apps et al. ....	D34/38
D. 403,830	* 1/1999	Apps et al. ....	D34/38
D. 404,179	* 1/1999	Apps et al. ....	D34/38
D. 404,180	* 1/1999	Apps et al. ....	D34/38
D. 407,178	* 3/1999	Evans .....	D34/38
D. 417,539	* 12/1999	Koskien .....	D34/38
D. 417,765	* 12/1999	Morello .....	D34/38

4,199,164	4/1980	Sjoblom .
4,263,855	4/1981	Lawlor .
4,413,737	11/1983	Wind .
4,480,748	11/1984	Wind .
4,619,207	10/1986	Boyce et al. .
4,838,176	6/1989	Bowser, Sr. et al. .
4,879,956	11/1989	Shuert .
5,407,632	4/1995	Constantino et al. .
5,413,224	5/1995	Marron et al. .
5,606,921	3/1997	Elder et al. .
5,638,760	6/1997	Jordan et al. .
5,647,284	7/1997	Frysinger et al. .
5,669,315	9/1997	Model .
5,702,034	12/1997	Semenenko .
5,713,289	2/1998	Model .
5,730,067	3/1998	Kohlhaas .
5,758,855	6/1998	Jordan et al. .
5,819,941	10/1998	Vanwingerden .
5,829,361	11/1998	Fenton .
5,921,188	7/1999	Kohlhaas .
5,941,178	8/1999	Kohlhaas .
5,950,545	9/1999	Shuert .
5,960,720	10/1999	Borland et al. .
5,964,162	10/1999	Chuan-Jen .

\* cited by examiner

*Primary Examiner*—Cynthia E. Ramirez

(74) *Attorney, Agent, or Firm*—Brooks & Kushman P.C.


(57) **CLAIM**


The ornamental design for a nestable pallet, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view for a nestable pallet showing our new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a left elevational view, the right view being a mirror image thereof; and,  
FIG. 5 is a front elevational view, the rear view being a mirror image thereof.

**1 Claim, 4 Drawing Sheets**







*Fig. 1*




*Fig. 2*



*Fig. 3*



*Fig. 4*



*Fig. 5*