



US00D446936B1

(12)

United States Design Patent
Sanderson et al.

(10)

Patent No.: US D446,936 S

(45)

Date of Patent: ** Aug. 28, 2001

(54) **CARGO LOCKER**

(75) Inventors: **David B. Sanderson**, Villa Park;
Teyrrrie R. Garcia, Orange, both of CA (US)

(73) Assignee: **SKB Corporation**, Orange, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/134,480**

(22) Filed: **Dec. 21, 2000**

(51) **LOC (7) Cl.** **03-01**

(52) **U.S. Cl.** **D3/289; D3/276**

(58) **Field of Search** D3/273, 276, 279,
D3/283, 287, 289, 301, 285; 206/579, 315.1,
372, 373; 190/100, 108, 109, 110, 111,
112, 113; 224/404

4,506,769	3/1985	Franco et al.	190/108
4,609,084	9/1986	Thomas	190/110
4,752,008 *	6/1988	Pratt	206/579
4,830,154	5/1989	Gerch et al.	190/103
4,911,296	3/1990	Hart, Jr.	206/373
5,005,679 *	4/1991	Hjelle	190/110
5,042,664 *	8/1991	Shyr et al.	206/579
5,222,642	6/1993	Solarz	224/191
5,469,999	11/1995	Phirippidis	224/252
5,669,537	9/1997	Saleem et al.	224/539
5,676,296	10/1997	Masters	224/653
5,868,295	2/1999	Carriere	224/404

* cited by examiner

Primary Examiner—Philip S. Hyder
(74) *Attorney, Agent, or Firm*—Lyon & Lyon LLP

(57) **CLAIM**

The ornamental design for a cargo locker, as shown and described.


(56) **References Cited**

U.S. PATENT DOCUMENTS			
D. 312,604	12/1990	Barnes et al.	D12/155
D. 368,160 *	3/1996	Carretta	D3/283
D. 375,835 *	11/1996	Christopher et al.	D3/289
D. 376,044 *	12/1996	Trawick et al.	D3/289
D. 398,082 *	9/1998	Martz	D3/273
D. 398,083 *	9/1998	Martz	D3/273
D. 411,918 *	7/1999	Neuman	D3/289
2,718,943	9/1955	Braverman .	
4,418,806	12/1983	Johnson	190/111

DESCRIPTION

FIG. 1 is a perspective view of the new design showing the top, front and one end thereof;
FIG. 2 is a side view, the opposite side view being a mirror image thereof;
FIG. 3 is a top plan view;
FIG. 4 is a front view; and,
FIG. 5 is a rear view.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5