

US00D447090B1

(12) United States Design Patent (10) Patent No.:

Kamagata et al.

(10) Patent No.: US D447,090 S

(45) Date of Patent: ** Aug. 28, 2001

(54) BUCKLE

Dec. 24, 1999

(75) Inventors: Yukio Kamagata, Tokyo; Ryoichiro

Uehara, Kurobe; Tomohisa Ishida,

200, 196, 315, 625, 186

Kawaguchi, all of (JP)

(73) Assignee: YKK Corporation, Tokyo (JP)

(**) Term: 14 Years

(21) Appl. No.: 29/125,574

(22) Filed: **Jun. 26, 2000**

(30) Foreign Application Priority Data

(51)	LOC (7) Cl	
(52)	U.S. Cl	D11/218
(58)	Field of Search	D11/200, 201,
	D11/216; 24/307,	308, 310, 313, 316, 616,

(56) References Cited

U.S. PATENT DOCUMENTS

D. 341,105	*	11/1993	Lovato	D11/216
D. 352,680	*	11/1994	Matoba	D11/216
D. 380,005	*	6/1997	Anscher	D11/210
D. 424,978	*	5/2000	Yoshiguchi	D11/218
D. 426,791	*	6/2000	Nezu	D11/218
6,052,875	*	4/2000	Fudaki	24/625

^{*} cited by examiner

Primary Examiner—Ralf Seifert

(74) Attorney, Agent, or Firm—Finnegan, Henderson, Farabow, Garrett, & Dunner L.L.P.

(57) CLAIM

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of the male portion of a buckle showing my new design;

FIG. 2 is a rear elevational view of FIG. 1;

FIG. 3 is a top plan view of FIG. 1;

FIG. 4 is a bottom plan view of FIG. 1;

FIG. 5 is a right side elevational view of FIG. 1;

FIG. 6 is a cross-sectional view taken along the line 6—6 of FIG. 1;

FIG. 7 is a cross-sectional view taken along the line 7—7 of FIG. 5;

FIG. 8 is a cross-sectional view taken along the line 8—8 of FIG. 1;

FIG. 9 is a cross-sectional view taken along the line 9—9 of FIG. 1;

FIG. 10 is a front elevational view of the female portion of a buckle showing my new design;

FIG. 11 is a top plan view of FIG. 10;

FIG. 12 is a bottom plan view of FIG. 10;

FIG. 13 is a side elevational view of FIG. 10;

FIG. 14 is a cross-sectional view taken along the line 14—14 of FIG. 10;

FIG. 15 is a cross-sectional view taken along the line 15—15 of FIG. 10;

FIG. 16 is a cross-sectional view taken along the line 16—16 of FIG. 10;

FIG. 17 is a cross-sectional view taken along the line 17—17 of FIG. 13;

FIG. 18 is a cross-sectional view taken along the line 18—18 of FIG. 1;

FIG. 19 is a front elevational view showing the buckle in its entirety in a coupled position;

FIG. 20 is a rear elevational view of FIG. 19;

FIG. 21 is a top plan view of FIG. 19;

FIG. 22 is a bottom plan view of FIG. 19;

FIG. 23 is a right side elevational view of FIG. 19;


FIG. 24 is a cross-sectional view taken along the line 24—24 of FIG. 19;

FIG. 25 is a cross-sectional view taken along the line 25—25 of FIG. 23; and,

FIG. 26 is a an explanatory view of the buckle of FIG. 19 showing disposition of the male and female member immediately before they are fully coupled.

It being understood that the broken lines if FIG. 26 are for illustrative purposes only.

1 Claim, 14 Drawing Sheets






Figure 1




Figure 2




Figure 5

Figure 4





Figure 6

Figure 7



Aug. 28, 2001

Figure 8




Figure 9




Figure 10




Figure 13

Figure 12




Figure 14





Figure 15






Figure 17

Figure 16




Figure 18

Aug. 28, 2001




Figure 19




Figure 20




Figure 22

Figure 23




Figure 24

Figure 25




Figure 26