



US00D447159B1

(12) **United States Design Patent**  
**Yoneda**

(10) **Patent No.:** **US D447,159 S**

(45) **Date of Patent:** **\*\* Aug. 28, 2001**

(54) **ILLUMINATION EQUIPMENT FOR A MICROSCOPE**

D. 398,621 \* 9/1998 Dunn ..... D16/131  
2,987,702 \* 6/1961 Yohe ..... 340/473

(75) Inventor: **Kenji Yoneda**, Kyoto (JP)

\* cited by examiner

(73) Assignee: **CCS Inc.**, Kyoto (JP)

*Primary Examiner*—Paula A. Mortimer

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Armstrong, Westerman, Hattori, McLeland & Naughton, LLP

(21) Appl. No.: **29/127,914**

(57) **CLAIM**

(22) Filed: **Aug. 14, 2000**

The ornamental design for illumination equipment for a microscope, as shown and described.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Feb. 16, 2000 (JP) ..... 12-002625

(51) **LOC (7) Cl.** ..... **16-06**

(52) **U.S. Cl.** ..... **D16/131; D16/136**

(58) **Field of Search** ..... D16/130, 131,  
D16/136; D24/138; D26/37, 62; 362/253,  
285, 396, 430; 359/399, 385, 802, 804,  
805, 810, 811, 816; 340/473, 331, 321,  
815.76; D10/114

FIG. 1 is a front perspective view of the illumination equipment showing my new design;  
FIG. 2 is a rear perspective view thereof;  
FIG. 3 is a front view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a plan view thereof;  
FIG. 8 is a bottom view thereof; and,  
FIG. 9 is a sectional view taken along line A—A of FIG. 3 without interior structure.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 205,096 \* 6/1966 Korate ..... D16/131  
D. 260,976 \* 9/1981 Ommerling et al. .... D10/114

**1 Claim, 8 Drawing Sheets**




Fig. 1





Fig. 2






Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8






Fig. 9

