



US00D447335B1

(12) **United States Design Patent** (10) **Patent No.:** **US D447,335 S**
Vazquez (45) **Date of Patent:** **** Sep. 4, 2001**

(54) **CARRY BAG WITH HOOD EXTENSION AND CIRCULAR POCKET**

(75) Inventor: **Maximino Vazquez**, New York, NY (US)

(73) Assignee: **Maxworld, Inc.**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/114,654**

(22) Filed: **Nov. 29, 1999**

(51) **LOC (7) Cl.** **03-01**

(52) **U.S. Cl.** **D3/233**

(58) **Field of Search** D3/201, 216, 217, D3/232, 233, 234, 244, 245, 246, 303, 318; 150/100, 106, 107, 110, 111, 112, 115, 117, 118, 127, 128, 129, 130, 154, 900, 901; 190/1, 100, 103, 104, 105, 106, 107, 124, 125, 126, 127, 403; 383/2, 4, 12, 21, 28, 38, 39, 40, 41, 42, 71, 72, 93, 97, 105, 106; D2/716, 717, 857

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 121,159	6/1940	Egerer .	
D. 205,756	9/1966	Triplett	D9/2
D. 250,737	1/1979	Brosk	D2/226
D. 258,998	4/1981	Pratt et al.	D3/41
D. 279,529	7/1985	Denhoff	D6/474
D. 280,043	8/1985	Allen	D3/42
D. 280,044	8/1985	Allen	D3/48
D. 282,602	2/1986	Allen	D3/71
D. 284,425	7/1986	Allen	D3/71

(List continued on next page.)

Primary Examiner—Louis S. Zarfas

Assistant Examiner—Monica A. Weingart

(74) *Attorney, Agent, or Firm*—Darby & Darby

(57) **CLAIM**

The ornamental design for a carry bag with hood extension and circular pocket, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a carry bag with hood extension and circular pocket which is made of a first preselected fabric having at least one of a color and a pattern and which is shown with a contoured hood in a flap-up (open) state and an uncinched condition and which is further shown with a combined carry strap and a cinching mechanism;

FIG. 2 is a rear elevational view of the bag of FIG. 1 showing the circular pocket in a second preselected fabric which coordinates with the first preselected fabric;

FIG. 3 is a front elevational view of the bag of FIG. 1 shown with the contoured hood in a flap-down (closed) state;

FIG. 4 is a rear elevational view of the bag of FIG. 3;

FIG. 5 is a right side view of the bag of FIG. 1;

FIG. 6 is a front elevational view of the bag of FIG. 1, now shown in the cinched condition;

FIG. 7 is a rear elevational view of the bag of FIG. 6;

FIG. 8 is a front elevational view of the bag of FIG. 3, now shown in the cinched condition;

FIG. 9 is a rear elevational view of the bag of FIG. 8;

FIG. 10 is a right side elevational view of the bag of FIG. 6;

FIG. 11 is a right side elevational view of the bag of FIG. 8;

FIG. 12 is a top plan view of the bag of FIG. 1;

FIG. 13 is a top plan view of the bag of FIG. 3;

FIG. 14 is a top plan view of the bag of FIG. 6;

FIG. 15 is a top plan view of the bag of FIG. 8;


FIG. 16 is a bottom plan view of the bag of FIG. 1;

FIG. 17 is the rear elevational view of FIG. 2, now showing the circular pocket in a third preselected fabric which is different than the first preselected fabric; and,

FIG. 18 is the rear elevational view of FIG. 2, now showing the circular pocket in a three-quarter open-pocket configuration.

The broken lines showing hardware (e.g., the combined carry strap and cinching mechanism and buckles), the access to the circular pocket and the seams, as well as the position of the hardware relative to the claimed design and any other broken lines are to show the environment only and are not part of the claimed design.

1 Claim, 11 Drawing Sheets



U.S. PATENT DOCUMENTS									
D. 350,024	8/1994	Ryker		D3/202	4,153,146	5/1979	Patton et al.		190/44
D. 369,467	5/1996	Cole		D3/300	4,171,048	10/1979	Ernst		206/390
D. 385,452	10/1997	Marti		D6/601	4,196,534	4/1980	Shibamoto		40/10
D. 389,642	1/1998	Nadel		D3/254	4,301,549	11/1981	Ingram		2/250
D. 393,504	* 4/1998	Eisman		383/40 X	4,301,849	11/1981	Litwack et al.		150/33
D. 404,909	* 2/1999	Fichter		D3/216	4,334,601	6/1982	Davis		190/44
D. 418,974	1/2000	Vazquez		D3/226	4,372,363	* 2/1983	Schmeling		383/12
D. 431,901	* 10/2000	Vazquez		D3/303 X	4,515,300	5/1985	Cohen		224/151
D. 432,307	* 10/2000	Vazquez		D3/303	4,674,664	6/1987	Simon		224/215
D. 433,807	* 11/2000	Vazquez		D3/232 X	4,838,709	6/1989	Guerriero et al.		383/18
731,378	* 6/1903	Luther		150/118	5,030,014	7/1991	Diamond et al.		383/127
1,491,711	4/1924	Levine	.		5,050,999	9/1991	Van Loon, III		383/76
1,600,633	* 9/1926	Hildebrand		383/2	5,127,536	7/1992	Cohen et al.		224/222
2,123,447	7/1938	Waite		2/48	5,341,974	8/1994	Robinson et al.		224/215
2,346,571	* 4/1944	Ginsberg		383/38	5,472,280	12/1995	Rittmaster		383/6
2,493,085	1/1950	Pincus		150/1.7	5,526,907	6/1996	Trawick et al.		190/111
2,710,639	6/1955	Farls		150/7	5,544,792	8/1996	Arnwine		224/153
3,073,367	1/1963	Samara		150/2.1	5,692,660	12/1997	Stewart		224/581
3,322,176	5/1967	Geller		150/1.7	5,799,336	9/1998	Cooper		2/247
3,746,066	7/1973	McIntyre		150/33	5,809,576	9/1998	Hutson et al.		2/247
4,011,898	3/1977	Hubbard		150/35	5,881,383	3/1999	Perkins		2/144
4,148,347	4/1979	Seaman		150/1.7					

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18