



US00D447498B1

(12) **United States Design Patent**
Petravic et al.

(10) **Patent No.:** **US D447,498 S**

(45) **Date of Patent:** **** Sep. 4, 2001**

(54) **VERTICALLY-ORIENTED DIGITAL CAMERA BODY WITH LENS ASSEMBLY REVEAL**

(75) Inventors: **Robin Goran Petravic; Kurt Dammermann**, both of San Francisco;
Eric O. Bodnar, Santa Cruz;
Catherine Bailey, San Francisco;
Jonah Avram Becker, San Francisco;
Sung-Ho Joe Tan, San Francisco, all of CA (US)

(73) Assignee: **LightSurf Technologies, Inc.**, Santa Cruz, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/126,740**

(22) Filed: **Jul. 21, 2000**

(51) **LOC (7) Cl.** **16-01**
(52) **U.S. Cl.** **D16/200**
(58) **Field of Search** D16/200, 202,
D16/203-205, 208, 218, 219, 237; 348/373-376;
396/535-541

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 160,300	*	10/1950	Chapman	D16/200
D. 408,044	*	4/1999	Tanaka et al.	D16/202
D. 416,570	*	11/1999	Hsueh	D16/218
D. 428,429	*	7/2000	Garrison et al.	D16/202
D. 429,269	*	8/2000	Renkis	D16/203
D. 431,828	*	10/2000	Yoshida	D16/202
5,729,289	*	3/1998	Etoh	348/373
5,825,408	*	10/1998	Yuyama et al.	348/838

* cited by examiner

Primary Examiner—Adir Aronovich

(74) *Attorney, Agent, or Firm*—John A. Smart

(57) **CLAIM**

The ornamental design for a vertically-oriented digital camera body with lens assembly reveal, as shown and described.

DESCRIPTION

The present application is related to the following commonly-owned applications: (1) Application Serial No. 29/126,739, filed concurrently, and titled, Vertically-Oriented Digital Camera Body with Top-Centered Shutter Button; (2) Application Serial No. 29/126,738, filed concurrently, and titled, Vertically-Oriented Digital Camera Body with Connector Interface; and (3) Application Serial No. 29/126,737, filed concurrently, and titled, Digital Camera Viewfinder with Graphic Display. The disclosures of the foregoing are hereby incorporated by reference.

FIG. 1 is a top, left and front perspective view of a vertically-oriented digital camera body with lens assembly reveal showing our new design;

FIG. 2 is a top, right, and front perspective view thereof;

FIG. 3 is a front end view thereof;

FIG. 4 is a rear end view thereof;


FIG. 5 is a bottom, left, and front perspective view thereof;

FIG. 6 is a rear end view showing a first modified form of our new design, the sole difference being the omission of the reveal from the back of the camera body; and,

FIG. 7 is a top, right, and front perspective view showing a second modified form of our new design, the difference being the repositioning of the lens assembly reveal on an opposing side of the camera body, with the corresponding structures of the environment (e.g., viewfinder) also being repositioned, as appropriate, for accommodating said repositioning of the lens assembly reveal.

The broken lines shown in all views are to illustrate environment only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7