



US00D447625B1

(12) **United States Design Patent**  
**Vazquez**

(10) **Patent No.:** **US D447,625 S**

(45) **Date of Patent:** **\*\* Sep. 11, 2001**

(54) **HOODED SLING BAG WITH CIRCULAR POCKET**

(75) **Inventor:** **Maximino Vazquez**, New York, NY (US)

(73) **Assignee:** **Maxworld, Inc.**, New York, NY (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/114,655**

(22) **Filed:** **Nov. 29, 1999**

(51) **LOC (7) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/233**

(58) **Field of Search** ..... D3/201, 216, 217, D3/232, 233, 234, 244, 245, 246, 303, 318; 150/100, 106, 107, 110, 111, 112, 115, 117, 118, 127, 128, 129, 130, 154, 900, 901; 190/1, 100, 103, 104, 105, 106, 107, 124, 125, 126, 127, 903; 383/2, 4, 12, 21, 28, 38, 39, 40, 41, 42, 71, 72, 93, 97, 105, 106

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 205,756	9/1966	Triplett	.....	D9/2
D. 250,737	1/1979	Brosk	.....	D2/226
D. 258,998	4/1981	Pratt et al.	.....	D3/41
D. 341,486	11/1993	Frank	.....	D3/42
D. 350,024	8/1994	Ryker	.....	D3/202
D. 369,467	5/1996	Cole	.....	D3/300
D. 385,452	10/1997	Marti	.....	D6/601
D. 389,642	1/1998	Nadel	.....	D3/254
D. 393,504 *	4/1998	Eisman	.....	383/40 X
D. 404,909 *	2/1999	Fichter	.....	D3/216
D. 418,974	1/2000	Vazquez	.....	D3/226
D. 431,901 *	10/2000	Vazquez	.....	D3/303 X
D. 432,307 *	10/2000	Vazquez	.....	D3/303
D. 433,807 *	11/2000	Vazquez	.....	D3/232 X
731,378 *	6/1903	Luther	.....	150/118
1,491,711	4/1924	Levine	.	
1,600,633 *	9/1926	Hildebrand	.....	383/2
2,123,447	7/1938	Waite	.....	2/48
2,346,571 *	4/1944	Ginsberg	.....	383/38

2,493,085	1/1950	Pincus	.....	150/1.7
3,322,176	5/1967	Geller	.....	150/1.7
4,301,549	11/1981	Ingram	.....	2/250
4,372,363 *	2/1983	Schmeling	.....	383/12
4,515,300	5/1985	Cohen	.....	224/151
4,838,709	6/1989	Guerriero et al.	.....	383/18
5,692,660	12/1997	Stewart	.....	224/581
5,799,336	9/1998	Cooper	.....	2/247
5,809,576	9/1998	Hutson et al.	.....	2/247
5,881,383	3/1999	Perkins	.....	2/144

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Monica A. Weingart

(74) *Attorney, Agent, or Firm*—Darby & Darby

(57) **CLAIM**

The ornamental design for a hooded sling bag with circular pocket, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a hooded sling bag with circular pocket which is made of a first preselected fabric having at least one of a color and a pattern and which is shown with a contoured hood in a flap-up (open) state and an uncinched condition and which is further shown with a carry strap and a cinching mechanism;

FIG. 2 is a front elevational view of the bag of FIG. 1, now shown with the contoured hood in a flap-down (closed) state;

FIG. 3 is a rear elevational view of the bag of FIG. 1;

FIG. 4 is a rear elevational view of the bag of FIG. 2;

FIG. 5 is a right side elevational view of the bag of FIG. 1;

FIG. 6 is a front elevational view of the bag of FIG. 1, now shown in a cinched condition with the contoured hood in the flap-up state;

FIG. 7 is a front elevational view of the bag of FIG. 2, now shown in a cinched condition with the contoured hood in the flap-down state;

FIG. 8 is a rear elevational view of the bag of FIG. 6;

FIG. 9 is a rear elevational view of the bag of FIG. 7;

FIG. 10 is a right side elevational view of the bag of FIG. 6;

FIG. 11 is a right side elevational view of the bag of FIG. 7;




FIG. 12 is a bottom plan view of the bag of FIG. 1, showing the circular pocket in a second preselected fabric which coordinates with the first preselected fabric;

FIG. 13 is a top plan view of the bag of FIG. 1;

FIG. 14 is a top perspective view of the bag of FIG. 1, showing the bag in the uncinched condition and the contoured hood in an intermediate state between open and closed and showing the circular pocket at the bottom thereof;

FIG. 15 is a top perspective view of the bag of FIG. 6, showing the bag in the cinched condition and the contoured hood in an intermediate state between open and closed and showing the circular pocket at the bottom thereof;

FIG. 16 is the bottom plan view of FIG. 12, now showing the circular pocket in a third preselected fabric which is different than the first preselected fabric; and,

FIG. 17 is the bottom plan view of FIG. 12, now showing the circular pocket in a three-quarter open-pocket configuration. The broken lines showing hardware (e.g., the cinch cord and cord lock, carry strap and buckle), the access to the circular pocket and the seams, as well as the position of the hardware relative to the claimed design and any other broken lines are to show the environment only and are not part of the claimed design.

**1 Claim, 10 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11






FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17