



US00D448084B1

(12) **United States Design Patent**
Hopwood et al.

(10) **Patent No.:** **US D448,084 S**

(45) **Date of Patent:** **** Sep. 18, 2001**

(54) **KNEE FITMENT**

(75) Inventors: **Sandra K. Hopwood**, Grand Rapids;
Mark C. Smith, Rockford; **Gardner**
Klaasen, Ada, all of MI (US)

(73) Assignee: **Alticor Inc.**, Ada, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/136,965**

(22) Filed: **Feb. 9, 2001**

(51) **LOC (7) Cl.** **24-04**

(52) **U.S. Cl.** **D24/190**

(58) **Field of Search** D24/190; 602/5,
602/6, 23, 26

D. 417,933	12/1999	Hanley et al. .	
D. 418,259	12/1999	Morton .	
D. 428,153	7/2000	Davis .	
4,872,448	* 10/1989	Johnson, Jr.	602/26
5,139,477	* 8/1992	Peters	602/26
5,417,646	* 5/1995	Gauvry	602/26

* cited by examiner

Primary Examiner—Stella Reid

(74) *Attorney, Agent, or Firm*—Alticor Inc.

(57) **CLAIM**

The ornamental design for a knee fitment, as shown and described.

DESCRIPTION

FIG. 1 is perspective view of a knee fitment embodying the new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is right side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

The broken lines appearing on the gel pad located on the face of the knee fitment in FIGS. 1–4 represent conventional seal fastening and are for illustrative purposes only and form no part of the claimed design.



The broken lines appearing on the top and bottom edges of the knee fitment adjacent the buckles in FIGS. 1–5 is conventional top stitching.

1 Claim, 2 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 367,536	*	2/1996	Kilbey	D24/190
D. 370,261		5/1996	Kilbey .	
D. 370,533		6/1996	Kilbey .	
D. 372,983		8/1996	Nebolon .	
D. 373,655		9/1996	Kalvestran .	
D. 389,582		1/1998	Bodenschatz et al. .	
D. 403,424		12/1998	Taylor et al. .	
D. 403,775		1/1999	Davis et al. .	
D. 404,173		1/1999	Popowski .	
D. 404,819		1/1999	Rodgers .	
D. 406,677		3/1999	Koschmann et al. .	
D. 416,624		11/1999	Nauert .	
D. 417,313		11/1999	Hung .	






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

Fig. 7

