

#### (12) United States Design Patent (10) Patent No.: US D448,111 S **\*\*** Sep. 18, 2001 (45) **Date of Patent:** Hui

LIGHTER (54)

- Inventor: Hiu Kwan Hui, Kowloon Bay (HK) (75)
- Assignee: OneWorld Enterprises, Ltd. (HK) (73)

14 Years (\*\*) Term:

- Appl. No.: 29/135,522 (21)
- (22) Filed: Jan. 11, 2001

Primary Examiner—Susan J. Lucas Assistant Examiner—Jennifer Rivard (74) Attorney, Agent, or Firm-Cowan, Liebowitz & Latman, P.C.

(57)**CLAIM** 

The ornamental design for a lighter, as shown and described.

### DESCRIPTION

(30)Foreign Application Priority Data Jul. 11, 2000 (HK) ..... 0010899 LOC (7) Cl. ..... 27-05 (51) (52) (58)D27/148, 154, 160, 157; D3/208; 431/129, 130, 132, 142–144, 151, 254–256, 267, 273, 274, 277

**References Cited** (56)

### **U.S. PATENT DOCUMENTS**

D. 217,831	≉	6/1970	Racek	D27/157
D. 241,658	≉	9/1976	Huguet	D27/154
D. 429,541	*	8/2000	Hu	D27/154

\* cited by examiner

FIG. 1 is a rear elevational view of the lighter attached to a key chain (key chain not considered part of design); FIG. 2 is a side elevational view of the lighter attached to a key chain (key chain not considered part of design); FIG. 3 is a bottom plan view of the lighter; FIG. 4 is a top plan view of the lighter attached to a key chain (key chain not considered part of design); FIG. 5 is another side elevational view of the lighter attached to a key chain (key chain not considered part of design); FIG. 6 is a front elevational view of the lighter attached to a key chain (key chain not considered part of design); FIG. 7 is a perspective view of the lighter attached to a key chain (key chain not considered part of design); and, FIG. 8 is another perspective view of the lighter attached to a key chain (key chain not considered part of design). The broken lines are shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



## U.S. Patent Sep. 18, 2001 Sheet 1 of 3 US D448,111 S







# 



### **U.S. Patent** Sep. 18, 2001 Sheet 2 of 3 US D448,111 S





## U.S. Patent Sep. 18, 2001 Sheet 3 of 3 US D448,111 S





## FIG.8