



US00D448403B1

(12) **United States Design Patent**
Omuro et al.

(10) **Patent No.:** **US D448,403 S**

(45) **Date of Patent:** **** Sep. 25, 2001**

(54) **COMBINED INK-JET PRINTER AND SCANNER**

(75) Inventors: **Makoto Omuro; Hisayuki Akahane,**
both of Nagano-ken (JP)

(73) Assignee: **Seiko Epson Corporation, Tokyo (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/118,421**

(22) Filed: **Feb. 10, 2000**

(30) **Foreign Application Priority Data**

Aug. 12, 1999 (JP) 11-21761

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D18/50; D14/425**

(58) **Field of Search** D18/36-39, 50,
D18/54-55; D14/462-470, 426, 422, 423,
424, 425, 420, 421; 400/691-694, 690.1-690.4,
613, 613.1-613.4; 359/197, 201-202; 250/234,
235

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 270,541 * 9/1983 Matsuzaka D18/36
- D. 295,520 * 5/1988 Ooie D14/425
- D. 305,329 * 1/1990 Hiroki et al. D14/425
- D. 322,980 * 1/1992 Mckinnon, Jr. et al. D18/50
- D. 331,255 * 11/1992 Hiroki D18/36
- D. 332,258 * 1/1993 Urushihara et al. D14/464
- D. 339,151 * 9/1993 Ratzlaff D18/36
- D. 340,721 * 10/1993 Hirose et al. D14/464
- D. 350,766 * 9/1994 Tomatsu et al. D14/463
- D. 357,907 * 5/1995 Kosako et al. D14/425
- D. 362,674 * 9/1995 Ishibashi et al. D18/36
- D. 377,168 * 1/1997 Chen et al. D14/425

- D. 380,006 * 6/1997 Takahashi et al. D18/36
- D. 381,322 * 7/1997 Hashimoto et al. D14/425
- D. 383,449 * 9/1997 Imura D14/422
- D. 396,704 * 8/1998 Chang et al. D14/425
- D. 398,334 * 9/1998 Komatsu D18/36
- D. 409,165 * 5/1999 Kobayashi et al. D14/424
- D. 411,521 * 6/1999 Lin D14/424
- D. 412,701 * 8/1999 Cantu D14/424
- D. 413,584 * 9/1999 Wu et al. D14/425
- D. 421,045 * 2/2000 Quijano D18/55
- D. 422,301 * 4/2000 Short et al. D18/36
- 4,662,765 * 5/1987 Kapp et al. D18/55
- 6,046,449 * 4/2000 Chien 250/235

* cited by examiner

Primary Examiner—Cathy Anne MacCormac

(74) *Attorney, Agent, or Firm*—Sughrue, Mion, Zinn,
Macpeak & Seas, PLLC

(57) **CLAIM**

The ornamental design for a combined ink-jet printer and scanner, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and right side of a combined ink-jet printer and scanner showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a view similar to FIG. 1 with the cover open; and,

FIG. 9 is a second embodiment of FIG. 1, the difference being in the addition of a paper tray.

1 Claim, 5 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9

