



US00D448487B1

(12) **United States Design Patent**  
**Saez et al.**

(10) **Patent No.:** **US D448,487 S**

(45) **Date of Patent:** **\*\* Sep. 25, 2001**

(54) **SPECIMEN CASSETTE**

(75) Inventors: **Carlos Saez**, Irvine, CA (US); **Lester Wayne Doyle**, Mishawaka; **Ronald C. Mathia**, South Bend, both of IN (US)

(73) Assignee: **Sakura Finetek U.S.A., Inc.**, Torrance, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/077,884**

(22) Filed: **Oct. 10, 1997**

(51) **LOC (7) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/216; D24/224**

(58) **Field of Search** ..... D24/224, 216,  
D24/223; 422/104, 102, 100, 101; 435/283.1;  
220/326, 835, 836, 838, 839, 840

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,997,100	*	3/1991	Dudek	.....	D24/216	X
5,098,676		3/1992	Brooks, Jr.	.		
5,127,537	*	7/1992	Graham	.....	D24/216	X
5,174,273		12/1992	Brewer	.		
5,234,124		8/1993	Buckner, III et al.	.		
5,266,272		11/1993	Griner et al.	.		
5,269,671		12/1993	McCormick	.		
5,284,632		2/1994	Kudla et al.	.		
5,294,413		3/1994	Riihimaki et al.	.		
5,358,692		10/1994	Reynolds	.		
5,383,472		1/1995	Devlin et al.	.		
5,411,163		5/1995	Gueret	.		
5,424,040		6/1995	Bjornsson	.		
5,427,742		6/1995	Holland	.		
5,433,929		7/1995	Riihimaki et al.	.		
5,451,379		9/1995	Bowlin, Jr. et al.	.		
5,533,642	*	7/1996	Lafond et al.	.....	220/326	
5,543,114	*	8/1996	Dudek	.....	422/102	
5,665,398	*	9/1997	McCormick	.....	422/102	X
5,821,115	*	10/1998	Graupner	.....	422/102	X

\* cited by examiner

*Primary Examiner*—Ian Simmons

(74) *Attorney, Agent, or Firm*—Baker & McKenzie

(57) **CLAIM**

The ornamental design for a specimen cassette, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a specimen cassette in a closed orientation, showing our new design;  
 FIG. 2 is a bottom perspective view of a specimen cassette in a closed orientation, showing our new design;  
 FIG. 3 is a top view thereof;  
 FIG. 4 is a side view thereof;  
 FIG. 5 is a side view thereof, opposite that shown in FIG. 4;  
 FIG. 6 is a bottom view thereof;  
 FIG. 7 is a front view thereof;  
 FIG. 8 is a rear view thereof;  
 FIG. 9 is a cross-sectional view thereof, taken along the line of 9—9 of FIG. 3;  
 FIG. 10 is a plan view of a specimen cassette in an open orientation, showing the top and bottom exterior sides of our new design, on the left and right sides of the figure, respectively;  
 FIG. 11 is a first side view of the specimen cassette in an open orientation;  
 FIG. 12 is a second side view of the specimen cassette in an open orientation;  
 FIG. 13 is a plan view of a specimen cassette in an open orientation, showing the top and bottom interior portions of our new design, on the left and right sides of the figure, respectively;  
 FIG. 14 is a front view of the specimen cassette in an open orientation; and,  
 FIG. 15 is a rear view of the specimen cassette in an open orientation.  
 The broken line showing of the specimen cassette is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 8 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3





FIG. 4




FIG. 5

FIG. 6






FIG. 7

FIG. 8






FIG. 9




FIG. 10

FIG. 11





FIG. 12








FIG. 13





*FIG. 14*



*FIG. 15*