



US00D448719B1

(12) **United States Design Patent**
Tsumiyama et al.

(10) **Patent No.:** **US D448,719 S**

(45) **Date of Patent:** **** Oct. 2, 2001**

(54) **SEAT BOTTOM FOR VEHICLES AND WATERCRAFT**

(75) **Inventors:** **Yoshinori Tsumiyama, Miki;**
Tomohiro Kanazawa, Amagasaki;
Masafumi Ikeyama, Kobe; Haruki
Okada, Kakogawa, all of (JP)

(73) **Assignee:** **Kawasaki Jukogyo Kabushiki Kaisha,**
Kobe (JP)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/127,358**

(22) **Filed:** **Aug. 1, 2000**

(51) **LOC (7) Cl.** **12-06**

(52) **U.S. Cl.** **D12/317; D12/203**

(58) **Field of Search** **D12/300-318,**
D12/203; 114/343, 363; 15/215; D6/583

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 274,998 * 8/1984 Johansson D12/203

D. 417,183 * 11/1999 Rogers-Smith D12/317
4,662,848 * 5/1987 Lagimoniere 114/363
5,423,279 * 6/1995 Long 114/343
5,439,171 * 8/1995 Freund 238/14

* cited by examiner

Primary Examiner—Kay H. Chin

(74) *Attorney, Agent, or Firm*—Marshall, Gerstein & Borun

(57) **CLAIM**

The ornamental design for a seat bottom for vehicles and watercraft, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a seat bottom for vehicles and watercraft showing our design. In this Figure and in the following described Figures the broken lines which define the bounds of our claimed design form no part thereof; FIG. 2 is a front elevational view, the rear elevational view being a mirror image thereof; FIG. 3 is a top plan view thereof; and, FIG. 4 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1





FIG. 2

FIG. 3




FIG. 4

