



US00D448870B1

(12) **United States Design Patent**
Kamata et al.

(10) **Patent No.:** **US D448,870 S**

(45) **Date of Patent:** **** Oct. 2, 2001**

(54) **EXTERIOR SURFACE CONFIGURATION OF
A MOTORCYCLE REAR COMBINATION
LIGHT ASSEMBLY**

(75) Inventors: **Akira Kamata; Toshio Kurihara**, both
of Saitama (JP)

(73) Assignee: **Honda Giken Kogyo Kabushiki
Kaisha, Tokyo (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/133,401**

(22) Filed: **Nov. 30, 2000**

(51) **LOC (7) Cl.** **26-06**

(52) **U.S. Cl.** **D26/28**

(58) **Field of Search** D26/28-36; 362/61,
362/80, 83.4, 267, 269, 278, 327, 328,
329, 330-340

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 406,912 * 3/1999 Sacco et al. D26/28
- D. 429,353 * 8/2000 Pfeiffer D26/28

D. 439,995 * 4/2001 Nakayawa et al. D26/28

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Birch, Stewart, Kolasch &
Birch, LLP

(57) **CLAIM**

The ornamental design for, an exterior surface configuration
of a motorcycle rear combination light assembly, as shown
and described.

DESCRIPTION

FIG. 1 is a front view of an exterior surface configuration of
a motorcycle rear combination light assembly, showing our
new design;

FIG. 2 is a top plan view thereof;


FIG. 3 is a right side elevational view thereof;

FIG. 4 is a perspective view of thereof; and,

FIG. 5 is a perspective view illustrating the present invention
with the environment of the invention set forth in broken
lines.

Features shown in broken lines depict the environment and
do not form part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5