



US00D448872B1

(12) **United States Design Patent**
Clarke et al.

(10) **Patent No.:** **US D448,872 S**

(45) **Date of Patent:** **** Oct. 2, 2001**

(54) **VEHICLE LIGHT**

D. 417,298 * 11/1999 Paffrath et al. D26/28
D. 422,102 * 3/2000 Moore D26/28

(75) Inventors: **Dave Clarke**, Homburg; **Ernst Simon**, Saarbrücken; **Emmanuel Boissier**, Saarlouis, all of (DE); **Aris Nicols**, Grosse Pointe, MI (US); **Bengt Nestell**, Pottstown, PA (US); **Jae H. Choi**, Woodridge, NJ (US)

* cited by examiner

Primary Examiner—Marcus A. Jackson

(73) Assignee: **Deere & Company**, Moline, IL (US)

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a vehicle light, as shown and described.

(21) Appl. No.: **29/140,917**

DESCRIPTION

(22) Filed: **Apr. 25, 2001**

FIG. 1 is a right front perspective view showing the left light of the new design, which is adapted for mounting on the left-hand fender of a vehicle.

(30) **Foreign Application Priority Data**

Oct. 26, 2000 (XH) DM/053 695

FIG. 2 is a front view of the light shown in FIG. 1

(51) **LOC (7) Cl.** **26-06**

FIG. 3 is a left side view of the light shown in FIG. 2.

(52) **U.S. Cl.** **D26/28**

FIG. 4 is a top view of the light shown in FIG. 2.

(58) **Field of Search** D26/28-36; 362/61, 362/80, 81, 82, 83, 83.4, 267, 269, 275

FIG. 5 is a right side view of the light shown in FIG. 2; and,


FIG. 6 is a rear view of the light shown in FIG. 2.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 413,687 * 9/1999 Darby D26/28

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 4




Fig. 3




Fig. 2




Fig. 6




Fig. 5