



US00D448980B1

(12) **United States Design Patent**
Fredrickson

(10) **Patent No.:** **US D448,980 S**

(45) **Date of Patent:** **** Oct. 9, 2001**

(54) **ARTICLE MOVER**

(76) **Inventor:** **David Frank Fredrickson**, 4951 Toll
Bridge Rd., Belton, Bell County, TX
(US) 76513

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/119,995**

(22) **Filed:** **Mar. 13, 2000**

Related U.S. Application Data

(63) Continuation of application No. 09/449,705, filed on Nov. 24, 1999.

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/14; D3/315**

(58) **Field of Search** D3/315; D8/1-14;
294/15, 26, 137, 142, 153; D34/28, 33

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 217,002 * 3/1970 Wagner D3/315
- D. 255,317 * 6/1980 Slinkard D8/14
- D. 288,276 * 2/1987 Harney D8/14
- D. 317,703 6/1991 Cydrus .
- D. 349,437 8/1994 Mock et al. .
- D. 351,769 * 10/1994 Brass et al. D8/14
- D. 354,662 1/1995 Brezany .
- D. 368,837 4/1996 Reed .
- D. 370,612 6/1996 Meakin et al. .
- D. 404,985 * 2/1999 Fredrickson D8/14
- D. 412,270 * 7/1999 Fredrickson D8/14
- 435,420 9/1890 Healy .
- D. 437,752 2/2001 Fredrickson .
- 1,411,435 4/1922 Hosmer .
- 1,867,265 7/1932 Jensen .
- 1,901,778 3/1933 Schlag .
- 2,274,918 3/1942 Chenette .
- 2,367,627 1/1945 Sterrett .
- 2,399,527 4/1946 Whitney .
- 2,428,941 10/1947 Packard .
- 2,739,007 3/1956 Rauterberg .

- 2,930,583 3/1960 Noe et al. .
- 3,014,750 12/1961 Briggs .
- 3,136,574 6/1964 Pasquale .
- 3,203,506 8/1965 Masterson .
- 3,385,625 5/1968 Heines .
- 3,619,852 11/1971 Eckberg .
- 3,940,171 2/1976 Carlsson .
- 4,098,442 7/1978 Moore .
- 4,106,681 8/1978 Bott .
- 4,113,160 9/1978 Spiers .
- 4,135,655 1/1979 Brown .
- 4,177,911 12/1979 Griffin .
- 4,557,897 12/1985 Mazac .

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

- DAS 1114353 9/1961 (DE) .
- 3921366 A1 1/1991 (DE) .
- 1200132 7/1970 (GB) .

Primary Examiner—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Merek & Voorhees


(57) **CLAIM**

The ornamental design for an article mover, as shown and described.

DESCRIPTION

FIG. 1 is a rear elevational view of a first embodiment of the article mover showing my new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a rear elevational view of a second embodiment of the article mover;
 FIG. 8 is a top plan view thereof;
 FIG. 9 is a left side elevational view thereof;
 FIG. 10 is a front elevational view thereof;
 FIG. 11 is a right side elevational view thereof; and,
 FIG. 12 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets



US D448,980 S

Page 2

U.S. PATENT DOCUMENTS

			5,171,052	12/1992	Cunnigham .
4,690,447	9/1987	Adams .	5,190,329	3/1993	Steer et al. .
4,767,141	8/1988	Martin .	5,257,843	11/1993	Nunn .
4,802,391	2/1989	Willhoite et al. .	5,522,116	6/1996	Enneking et al. .
5,069,495	12/1991	Mears .			
5,127,693	7/1992	Pruit .			

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12