



US00D448988B1

(12) **United States Design Patent** (10) **Patent No.:** **US D448,988 S**  
**Bell et al.** (45) **Date of Patent:** **\*\* Oct. 9, 2001**

(54) **STAND-UP POUCH FOR HOLDING LIQUIDS**

(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.

(75) Inventors: **Gary M. Bell**, Crystal; **Bobby Hira**,  
Bloomington, both of MN (US)

(57) **CLAIM**

The ornamental design for stand-up pouch for holding liquids, as shown and described.

(73) Assignee: **Kapak Corporation**, Minneapolis, MN (US)

**DESCRIPTION**

(\*\*) Term: **14 Years**

FIG. 1 is a perspective view of a stand-up pouch for holding liquids embodying our new design;

(21) Appl. No.: **29/136,872**

FIG. 2 is a reduced front view thereof;

(22) Filed: **Feb. 8, 2001**

FIG. 3 is a reduced rear view thereof;

(51) **LOC (7) Cl.** ..... **09-05**

FIG. 4 is a reduced right side elevational view thereof;

(52) **U.S. Cl.** ..... **D9/305**

FIG. 5 is a reduced left side elevational view thereof;

(58) **Field of Search** ..... D9/305, 306; 222/92,  
222/105, 107, 206, 215; 383/36, 61, 96,  
97, 104, 106, 122

FIG. 6 is a reduced top plan view thereof;

FIG. 7 is a reduced bottom plan view thereof;

(56) **References Cited**

FIG. 8 is a perspective view of a second embodiment of a stand-up pouch for holding liquids embodying our new design, the portions shown in broken lines forming no part of the design sought to be patented;

**U.S. PATENT DOCUMENTS**

- D. 191,640 10/1961 Stark .
- D. 195,313 5/1963 Setecka .
- D. 206,827 1/1967 Arcudi .
- D. 210,818 4/1968 Caliman .
- D. 236,807 9/1975 Schmit .
- D. 282,819 3/1986 Laurent et al. .
- D. 285,412 9/1986 Harwell, Jr. .
- D. 287,932 1/1987 Seward et al. .
- D. 295,835 5/1988 Gautier .

FIG. 9 is a reduced front view of the embodiment depicted in FIG. 8, the portions shown in broken lines forming no part of the design sought to be patented;

(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

- 39 25 871 A1 2/1991 (DE) .
- 639089 3/1962 (IT) .
- 5-77838 3/1993 (JP) .
- 5-330561 12/1993 (JP) .
- 6-127552 5/1994 (JP) .
- 6-179454 6/1994 (JP) .
- WO 92/21581 12/1992 (WO) .
- WO 95/23742 9/1995 (WO) .
- WO 95/33663 12/1995 (WO) .

FIG. 10 is a reduced rear view of the embodiment depicted in FIG. 8, the portions shown in broken lines forming no part of the design sought to be patented;

FIG. 11 is a reduced right side elevational view of the embodiment depicted in FIG. 8, the portions shown in broken lines forming no part of the design sought to be patented;

FIG. 12 is a reduced left side elevational view of the embodiment shown in FIG. 8, the portions shown in broken lines forming no part of the design sought to be patented; and,

FIG. 13 is a reduced top plan view of the embodiment depicted in FIG. 8, the portions shown in broken lines forming no part of the design sought to be patented; the bottom plan view having the same appearance as that shown in FIG. 7.

*Primary Examiner*—Cathron C. Brooks

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10






FIG. 11




FIG. 12




FIG. 13

