



US00D449092B1

(12) **United States Design Patent**
Brog et al.

(10) **Patent No.: US D449,092 S**

(45) **Date of Patent: ** Oct. 9, 2001**

(54) **CAP TETHER**

(76) Inventors: **Paul A. Brog**, P.O. Box 1425, Nampa,
ID (US) 83653; **Don H. Gillogly**, 111
Parkhurst Dr., Caldwell, ID (US) 83605

(**) Term: **14 Years**

(21) Appl. No.: **29/123,877**

(22) Filed: **May 30, 2000**

(51) **LOC (7) Cl. 23-01**

(52) **U.S. Cl. D23/209; D7/300.2; D9/436;
D19/57**

(58) **Field of Search D23/209; D19/57;
D7/300.2; 210/282; 239/16, 33; D9/436**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 324,824	*	3/1992	Hansen	D9/436
D. 327,848	*	7/1992	Hanover	D9/436
D. 389,188	*	1/1998	Conforti et al.	D19/57
D. 408,886		4/1999	Matyuskin et al.	D23/207
4,074,827		2/1978	Labe, III	220/23
4,074,828		2/1978	Haines et al.	220/254
4,298,475		11/1981	Gartner	210/266
4,448,316		5/1984	Hiroshige	215/1 A
4,669,124		5/1987	Kimura	383/80
4,798,671		1/1989	Mijers et al.	210/238
4,913,808		4/1990	Haque	210/93
4,995,976		2/1991	Vermes et al.	210/266
5,005,717		4/1991	Oilar	215/13.1
5,029,719		7/1991	Solomon	215/229
5,044,512		9/1991	Giancaspro et al.	220/90.2

5,045,195	9/1991	Spangrud et al.	210/266
5,156,335	10/1992	Smith et al.	239/33
5,167,819	12/1992	Iana et al.	210/474
5,178,681	1/1993	Moore et al.	118/715
5,290,253	3/1994	Kira	604/190
5,295,609	3/1994	Robbins, III	210/710
5,462,194	10/1995	Barnwell	220/709
5,509,605	4/1996	Cripe	239/33
5,518,143	5/1996	Iodice	220/708
5,580,447	12/1996	Platter et al.	210/206
5,688,588	11/1997	Cotton et al.	428/305.5
5,725,782	3/1998	Chinn et al.	210/767
5,733,448	* 3/1998	Kaura	210/282
6,010,034	1/2000	Walthers	222/135
6,142,384	* 11/2000	Shafik	210/282

* cited by examiner

Primary Examiner—Robin V. Taylor

(74) *Attorney, Agent, or Firm*—Ken J. Pedersen; Barbara S. Pedersen


(57) **CLAIM**

The ornamental design for a cap tether, as shown and described.

DESCRIPTION

FIG. 1 is a perspective side view of the cap tether design.
FIG. 2 is a left side view of the cap tether design.
FIG. 3 is a back view of the cap tether design.
FIG. 4 is a right side view of the cap tether design.
FIG. 5 is a front view of the cap tether design.
FIG. 6 is a top view of the cap tether design; and,
FIG. 7 is a bottom view of the cap tether design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7