

### (12) United States Design Patent (10) Patent No.: US D449,176 S Oct. 16, 2001 Schulte et al. (45) **Date of Patent:** \*\*

PATIO CHAIR (54)

- Inventors: Robert K. Schulte, Augusta, KS (US); (75)Philip Holsinger, Chicago, IL (US)
- Assignee: The Coleman Company, Inc., Wichita, (73)KS (US)
- 14 Years (\*\*) Term:

(74) Attorney, Agent, or Firm-Kramer Levin Naftalis & Frankel, LLP.

(57)**CLAIM** 

The ornamental design for a patio chair, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of a patio chair showing a first embodiment of our new design; FIG. 2 is a side elevational view of FIG. 1; FIG. 3 is a front elevational view of FIG. 1; FIG. 4 is a rear elevational view of FIG. 1; FIG. 5 is a top plan view of FIG. 1; FIG. 6 is a bottom plan view of FIG. 1; FIG. 7 is a perspective view of a patio chair showing a second embodiment of our new design; FIG. 8 is a side elevational view of FIG. 7; FIG. 9 is a front elevational view of FIG. 7; FIG. 10 is a rear elevational view of FIG. 7; FIG. 11 is a top plan view of FIG. 7; and, FIG. 12 is a bottom plan view of FIG. 7. The broken line showing of the seat panel in all views of the drawing is for illustrative purposes only and forms no part of the claimed design. The broken lines shown in the drawings identify environmental structure or boundaries that form no part of the design to be patented. The design is depicted as a low-back embodiment and a high-back embodiment.

- Appl. No.: 29/127,184 (21)
- Aug. 1, 2000 Filed: (22)
- LOC (7) Cl. ..... 06-01 (51)
- (52)
- (58)D6/374, 375, 376, 379, 500–502; 297/411.42, 445.1, 446.1, 452.12, 452.13

**References Cited** (56)**U.S. PATENT DOCUMENTS** 

D. 248,344	*	7/1978	Uchida D6/368	
D. 287,552	*	1/1987	Vanderminden D6/361	
			Vanderminden D6/379	
D. 358,264	*	5/1995	Vanderminden, Sr D6/375	
D. 362,557	*	9/1995	Escalona D6/375	
D. 426,971	*	6/2000	Tseng D6/375	

\* cited by examiner

Primary Examiner—Doris V. Coles Assistant Examiner—Mimosa De

### 1 Claim, 6 Drawing Sheets



### **U.S. Patent** US D449,176 S Oct. 16, 2001 Sheet 1 of 6 FIG. 1 1.1.1









# U.S. Patent Oct. 16, 2001 Sheet 3 of 6 US D449,176 S





### U.S. Patent Oct. 16, 2001 Sheet 4 of 6 US D449,176 S

*FIG.7* 











# U.S. Patent Oct. 16, 2001 Sheet 6 of 6 US D449,176 S



