



US00D449383B1

(12) **United States Design Patent** (10) **Patent No.:** **US D449,383 S**
Erwin (45) **Date of Patent:** **** Oct. 16, 2001**

(54) **COMBINED FENCING AND RAILING WITH INSERT**

(75) Inventor: **Ronald D. Erwin**, Fayetteville, GA (US)

(73) Assignee: **Erwin Industries, Inc.**, Peachtree City, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/133,757**

(22) Filed: **Dec. 6, 2000**

(51) **LOC (7) Cl.** **25-02**

(52) **U.S. Cl.** **D25/38**

(58) **Field of Search** D25/38; 256/21, 256/19, 47, 24

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,149	*	6/1851	Crowell	256/21
8,654	*	1/1852	Jenkins	256/21
D. 195,033	*	4/1963	Pierce	D25/38
3,113,760		12/1963	Huret et al.	.
4,540,160		9/1985	Zanavich et al.	.

* cited by examiner

Primary Examiner—Doris Clark

(74) *Attorney, Agent, or Firm*—Gardner Groff Mehrman & Josephic, P.C.

(57) **CLAIM**

The ornamental design for a combined fencing and railing with insert, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined fencing and railing with insert according to a first embodiment of the present invention.

FIG. 2 is a front view of the combined fencing and railing with insert of FIG. 1 according to a first embodiment of the present invention.

FIG. 3 is a rear view of the combined fencing and railing with insert of FIG. 1 according to a first embodiment of the present invention.

FIG. 4 is a perspective view of a combined fencing and railing with insert according to a second embodiment of the present invention.

FIG. 5 is a front view of the combined fencing and railing with insert of FIG. 4 according to a second embodiment of the present invention.

FIG. 6 is a rear view of the combined fencing and railing with insert of FIG. 4 according to a second embodiment of the present invention.

FIG. 7 is a perspective view of a combined fencing and railing with insert according to a third embodiment of the present invention.

FIG. 8 is a front view of the combined fencing and railing with insert of FIG. 7 according to a third embodiment of the present invention.


FIG. 9 is a rear view of the combined fencing and railing with insert according to a third embodiment of the present invention.

FIG. 10 is a perspective view of a combined fencing and railing with insert according to a fourth embodiment of the present invention.

FIG. 11 is a front view of the combined fencing and railing with insert of FIG. 10 according to a fourth embodiment of the present invention; and,

FIG. 12 is a rear view of the combined fencing and railing with insert of FIG. 10 according to a fourth embodiment of the present invention.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12