



US00D449738B1

(12) **United States Design Patent**
Snider et al.

(10) **Patent No.:** **US D449,738 S**

(45) **Date of Patent:** **** Oct. 30, 2001**

- (54) **CONTAINER FOR TOOL BITS**
- (75) Inventors: **Gregory Scott Snider**, Bel Air;
Matthew J. Holland, Baltimore, both
of MD (US)
- (73) Assignee: **Black & Decker Inc.**, Newark, DE
(US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/126,420**
- (22) Filed: **Jul. 14, 2000**
- (51) **LOC (7) Cl.** **03-01**
- (52) **U.S. Cl.** **D3/282; D3/276; D3/905**
- (58) **Field of Search** **D3/272, 273, 276,**
D3/281, 282, 294, 283, 905; 206/349, 372,
373, 378, 379; D14/168

3,730,576	5/1973	Schurman .
3,785,217	1/1974	Peura .
3,828,969	8/1974	Schurman .
4,023,840	5/1977	Souza et al. .
4,244,612	1/1981	Schurman .
4,392,503	7/1983	Watanabe .
4,522,312	6/1985	Rathgeber et al. .
4,680,837	7/1987	Rubinstein 24/237
4,744,445	5/1988	Anderson et al. 190/107
4,784,817	11/1988	Towns et al. 264/219
4,917,413	4/1990	Jason et al. 292/76
5,033,778	7/1991	Niles et al. 292/66
5,139,294	8/1992	Ward et al. 292/246

* cited by examiner

Primary Examiner—Philip S. Hyder
(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce,
P.L.C.

(57) **CLAIM**

The ornamental design for a container for tool bits, as shown and described.


(56) **References Cited**
U.S. PATENT DOCUMENTS

D. 302,209	7/1989	Roehrig .	
D. 322,889	1/1992	Ward .	
D. 336,719	6/1993	Newby, Sr. .	
D. 351,728	* 10/1994	Brever	D3/282
D. 353,265	12/1994	Newby, Sr. .	
D. 369,240	4/1996	Newby, Sr. .	
D. 370,675	* 6/1996	Kirk, III et al.	D3/905
D. 414,575	* 9/1999	Yuen	D3/905
D. 415,894	11/1999	Courville	D3/260
D. 417,781	12/1999	Staheli	D3/282
1,545,955	7/1925	Goertz .	
2,304,340	12/1942	Dahlin .	
2,464,524	3/1949	Nathan .	
2,515,715	7/1950	Jones	D3/276
2,577,350	12/1951	Morin .	
2,723,734	11/1955	Bellamy .	
2,819,494	1/1958	Morin .	
3,456,913	7/1969	Lutz .	
3,490,805	1/1970	di Pierro et al. .	
3,575,949	4/1971	Humphrey .	

DESCRIPTION

FIG. 1 is a front perspective view of a container for tool bits shown in the closed position;
FIG. 2 is a front view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a rear view thereof with the handle in a folded position;
FIG. 6 is a left side view thereof, the right side is a mirror image of the left side;
FIG. 7 is a side view of the container in an open position; and,
FIG. 8 is an open view of the inside of the container, the broken lines showing bits and compartments for storing bits are for illustrative purposes only and form no part of the claim.

1 Claim, 4 Drawing Sheets






Figure - 1




Figure - 2




Figure - 3




Figure - 4




Figure - 5




Figure - 6




Figure - 7




Figure - 8