



US00D449779B1

(12) **United States Design Patent**
Otto

(10) **Patent No.:** **US D449,779 S**

(45) **Date of Patent:** **** *Oct. 30, 2001**

(54) **BATTERY PACKAGE**

(75) Inventor: **Andrew J. Otto**, San Francisco, CA
(US)

(73) Assignee: **Eveready Battery Company, Inc.**, St.
Louis, MO (US)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/117,110**

(22) Filed: **Jan. 14, 2000**

(51) **LOC (7) Cl.** **09-03**

(52) **U.S. Cl.** **D9/415**

(58) **Field of Search** D9/415, 418, 414,
D9/337; 206/461-471, 806, 703-705, 769-781

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 239,436	*	4/1976	Williams	D9/415
D. 340,861		11/1993	Abelson	D9/415
D. 354,910		1/1995	Weatherford et al.	D9/415
D. 371,512	*	7/1996	Morita	D9/415
D. 385,488	*	10/1997	Smith et al.	D9/415
D. 422,210	*	4/2000	Sturkie et al.	D9/415
D. 429,634	*	8/2000	Pirro	D9/415
D. 430,016	*	8/2000	Pirro et al.	D9/415
3,288,280	*	11/1966	Bostrom	206/461
3,757,937	*	9/1973	Weinstein	206/461
4,549,658	*	10/1985	Sfikas	206/461
4,723,656	*	2/1988	Kiernan et al.	206/705
5,188,231	*	2/1993	Kivell et al.	206/705
5,484,631	*	1/1996	Hoh	206/461
5,819,939	*	10/1998	Boyer	206/806 X
5,899,333	*	5/1999	Williams et al.	206/705

FOREIGN PATENT DOCUMENTS

83658		4/1998	(CA)	.	
2035854		3/1994	(DE)	9/5.05
521914-					
521921		11/1998	(FR)	9/5

2004983	12/1990	(GB)	9/3.06
2076091	1/1999	(GB)	9/5.05
973235	1/1996	(JP)	.	
DM/048 155	5/1999	(XH)	.	

OTHER PUBLICATIONS

Techform Inc, Nov. 1982.*

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(57) **CLAIM**

I claim the ornamental design for a battery package, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery package showing the new design;

FIG. 2 is a front elevational view of FIG. 1;

FIG. 3 is a right side elevational view of FIG. 1;

FIG. 4 is a left side elevational view of FIG. 1;

FIG. 5 is a back elevational view of FIG. 1;

FIG. 6 is a top plan view of FIG. 1;

FIG. 7 is a bottom view of FIG. 1;

FIG. 8 is a perspective view of a second embodiment of FIG. 1;

FIG. 9 is a front elevational view of FIG. 8;

FIG. 10 is a right side elevational view of FIG. 8;

FIG. 11 is a left side elevational view of FIG. 8;


FIG. 12 is a back elevational view of FIG. 8;

FIG. 13 is a top plan view of FIG. 8; and,

FIG. 14 is a bottom view of FIG. 8.

The broken lines showing of blister and eyelet is for illustrative purpose only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1



Fig. 3



Fig. 4




Fig. 2




Fig. 5



Fig. 6




Fig. 7




Fig. 8



Fig. 10



Fig. 11




Fig. 9




Fig. 12



Fig. 13



Fig. 14