



US00D450006B1

(12) **United States Design Patent**
Nagano et al.

(10) **Patent No.:** **US D450,006 S**

(45) **Date of Patent:** **** Nov. 6, 2001**

(54) **SPEEDOMETER FOR BICYCLE**

D. 422,519 * 4/2000 Ueda et al. D10/98
D. 427,924 * 7/2000 Okuda D10/98

(75) Inventors: **Toshiyuki Nagano**, Takarazuka; **Yoji Okuda**, Tondabayashi; **Hiroyuki Iida**, Sakai, all of (JP)

* cited by examiner

(73) Assignee: **Cateye Co., Ltd.**, Osaka (JP)

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Olson & Hierl, Ltd.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/136,606**

The ornamental design for a speedometer for bicycle, as shown.

(22) Filed: **Feb. 2, 2001**

(30) **Foreign Application Priority Data**

Aug. 8, 2000 (JP) 12-021901

DESCRIPTION

(51) **LOC (7) Cl.** **10-04**

FIG. 1 is a front view of a speedometer for bicycle showing our new design;

(52) **U.S. Cl.** **D10/98**

FIG. 2 is a rear view thereof;

(58) **Field of Search** D10/98; 235/95 R, 235/95 A, 95 B, 95 C, 196, 197; 324/160-180

FIG. 3 is a top plan thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side view thereof; and,

FIG. 6 is a perspective view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 401,522 * 11/1998 Ueda et al. D10/98

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

