



US00D450085B1

(12) **United States Design Patent**  
**Kaneda**

(10) **Patent No.:** **US D450,085 S**

(45) **Date of Patent:** **\*\* Nov. 6, 2001**

(54) **LOOSE LEAF BINDER END PORTION**

(76) Inventor: **Kokki Kaneda**, 9-15, Chuo 2-chome,  
Ota-ku, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/134,945**

(22) Filed: **Jan. 2, 2001**

**Related U.S. Application Data**

(62) Division of application No. 29/131,850, filed on Oct. 27,  
2000.

(51) **LOC (7) Cl.** ..... **19-04**

(52) **U.S. Cl.** ..... **D19/32**

(58) **Field of Search** ..... D19/32, 26, 27,  
D19/28, 33; 402/3, 4, 26, 31, 34, 37, 38,  
39, 41, 60, 56, 70, 73, 75, 80 R

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |   |         |                  |       |        |
|------------|---|---------|------------------|-------|--------|
| D. 409,240 | * | 5/1999  | Ko               | ..... | D19/32 |
| D. 433,445 | * | 11/2000 | To               | ..... | D19/32 |
| 1,787,957  | * | 1/1931  | Schade           | ..... | 402/38 |
| 2,013,552  | * | 9/1935  | Dawson           | ..... | 402/38 |
| 2,056,812  | * | 10/1936 | Unger            | ..... | 402/38 |
| 2,817,341  | * | 12/1957 | Schade           | ..... | 402/38 |
| 3,404,685  | * | 10/1968 | Vernon           | ..... | 402/41 |
| 4,813,803  | * | 3/1989  | Gross            | ..... | 402/38 |
| 5,234,276  | * | 8/1993  | Semerjian et al. | ..... | 402/8  |
| 5,807,006  | * | 9/1998  | Cheung           | ..... | 402/38 |

\* cited by examiner

*Primary Examiner*—Paula A. Mortimer

(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath  
LLP

(57) **CLAIM**

The design of the loose leaf binder end portion, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a front view of the loose leaf binder end portion;  
FIG. 2 is a plan view of the loose leaf binder end portion;  
FIG. 3 is a bottom view of the loose leaf binder end portion;  
FIG. 4 is a side view of the loose leaf binder end portion with  
the lever up and the rings closed;

FIG. 5 is a front view of the loose leaf binder end portion  
with the lever depressed;

FIG. 6 is a plan view of the loose leaf binder end portion  
with the lever depressed;


FIG. 7 is a bottom view of the loose leaf binder end portion  
with the lever depressed; and,

FIG. 8 is a side view of the loose leaf binder end portion with  
the lever depressed and the rings open.


The broken line showing of the loose leaf binder in FIGS.  
1-3 is for illustrative purposes only and forms no part of the  
claimed design.

The broken line showing of the rings in FIGS. 4 and 8 is for  
illustrative purposes only and forms no part of the claimed  
design.


**1 Claim, 2 Drawing Sheets**




*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 4*




*Fig. 8*



*Fig. 5*



*Fig. 6*



*Fig. 7*

