



US00D450254B1

(12) **United States Design Patent** (10) **Patent No.:** **US D450,254 S**  
**Ishii** (45) **Date of Patent:** **\*\* Nov. 13, 2001**

(54) **EYEPIECE SECTION OF AN OPTICAL DISTANCE MEASURING INSTRUMENT**

(75) Inventor: **Mitsuo Ishii**, Itabashi-ku (JP)

(73) Assignee: **Kabushiki Kaisha Topcon**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/124,200**

(22) Filed: **Jun. 1, 2000**

(30) **Foreign Application Priority Data**

Dec. 6, 1999	(JP)	.....	11-33672
Dec. 6, 1999	(JP)	.....	11-33673
Dec. 6, 1999	(JP)	.....	11-33674
Dec. 6, 1999	(JP)	.....	11-33675
Dec. 6, 1999	(JP)	.....	11-33676

(51) **LOC (7) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/66**

(58) **Field of Search** ..... D10/66; 356/138-155;  
33/290-299

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 389,418	*	1/1998	Takayama et al.	.....	D10/66
D. 409,507		5/1999	Ishii	.	

\* cited by examiner

*Primary Examiner*—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—Jacobson Holman, PLLC

(57) **CLAIM**

The ornamental design for an eyepiece section of an optical distance measuring instrument, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of an eyepiece section of an optical distance measuring instrument showing a first embodiment of my new design.

FIG. 2 is a plan view of the eyepiece section of FIG. 1.

FIG. 3 is a left side view of the eyepiece section of FIG. 1.

FIG. 4 is a right side view of the eyepiece section of FIG. 1.

FIG. 5 is a front view of an eyepiece section of an optical distance measuring instrument showing a second embodiment of my new design.

FIG. 6 is a plan view of the eyepiece section of FIG. 5.

FIG. 7 is a left side view of the eyepiece section of FIG. 5.

FIG. 8 is a right side view of the eyepiece section of FIG. 5.

FIG. 9 is a front view of an eyepiece section of an optical distance measuring instrument showing a third embodiment of my new design.

FIG. 10 is a plan view of the eyepiece section of FIG. 9.

FIG. 11 is a left side view of the eyepiece section of FIG. 9.

FIG. 12 is a right side view of the eyepiece section of FIG. 9.

FIG. 13 is a front view of an eyepiece section of an optical distance measuring instrument showing a fourth embodiment of my new design.

FIG. 14 is a plan view of the eyepiece section of FIG. 13.

FIG. 15 is a left side view of the eyepiece section of FIG. 13.

FIG. 16 is a right side view of the eyepiece section of FIG. 13.

FIG. 17 is a front view of an eyepiece section of an optical distance measuring instrument showing a fifth embodiment of my new design.

FIG. 18 is a plan view of the eyepiece section of FIG. 17.

FIG. 19 is a left side view of the eyepiece section of FIG. 17; and,

FIG. 20 is a right side view of the eyepiece section of FIG. 17.

The body of the optical distance measuring instrument shown in broken lines is for illustrative purposes only and forms no part of the claimed design.

The present design does not include whole design of the optical distance design which is shown by broken lines.

**1 Claim, 10 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

