



US00D450268B1

(12) **United States Design Patent**
Dixon et al.

(10) **Patent No.: US D450,268 S**

(45) **Date of Patent: ** Nov. 13, 2001**

(54) **TIRE TREAD**

D. 418,781 1/2000 Vinesse D12/146
4,913,208 4/1990 Anderson et al. 152/209 R

(75) Inventors: **Max Harold Dixon**, Bedford, PA (US);
Adrian Thomas O'Neill, Maumee;
Paul Bryson Allen, Akron, both of OH
(US)

OTHER PUBLICATIONS

Aurora Radial 868 Tire, 1999 Tread Design Guide, Jan. 1999, p. 13. 1/2.*
Lee Steel Trak Metric Tire, 1999 Tread Design Guide, Jan. 1999, p. 45. 3/4.*
Monarch T/P Metric Tire, 1999 Tread Design Guide, Jan. 1999, p. 52. 3/2.*
Starfire Sport Metric Tire, 1999 Tread Design Guide, Jan. 1999, p. 69. 2/5.*
Woosung SB-800 Tire, 1999 Tread Design Guide, Jan. 1999, p. 77. 1/5.*

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/120,055**

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—David E. Wheeler

(22) Filed: **Mar. 13, 2000**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/147**

(58) **Field of Search** D12/134-152;
152/209.1, 209.3, 209.9, 209.13, 209.28,
902, 903, 904

(57) **CLAIM**

(56) **References Cited**

The ornamental design for a tire tread, as shown and described.


U.S. PATENT DOCUMENTS

DESCRIPTION

D. 312,231	11/1990	Guspodin	D12/147
D. 335,109	4/1993	Serpaggi	D12/143
D. 344,051	* 2/1994	Attinello et al.	D12/147
D. 350,508	9/1994	Evraert	D12/146
D. 362,219	9/1995	McKisson	D12/147
D. 367,451	2/1996	Scarpitti et al.	D12/147
D. 379,339	5/1997	Guspodin et al.	D12/147
D. 380,710	7/1997	McKisson	D12/147
D. 382,236	* 8/1997	Kakegawa et al.	D12/147
D. 385,520	10/1997	Scheuren et al.	D12/147
D. 392,230	3/1998	Heinen	D12/147
D. 397,653	9/1998	Heinen	D12/147
D. 399,175	10/1998	Brown et al.	D12/146
D. 402,239	12/1998	Le et al.	D12/146
D. 412,470	8/1999	Downey	D12/141
D. 416,218	11/1999	Lassan et al.	D12/147

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary perspective view.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4