

US00D450388B1

(12) **United States Design Patent** (10) **Patent No.:** **US D450,388 S**
Nakanishi et al. (45) **Date of Patent:** **** Nov. 13, 2001**

(54) **STIMULATOR**

(75) Inventors: **Takefumi Nakanishi**, Matsusaka;
Hiroshi Ogawa, Tokyo, both of (JP)

(73) Assignee: **Omron Corporation**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/109,496**

(22) Filed: **Aug. 18, 1999**

(30) **Foreign Application Priority Data**

May 17, 1999 (JP) 11-12868

(51) **LOC (7) Cl.** **24-04**

(52) **U.S. Cl.** **D24/200**; D14/218

(58) **Field of Search** D14/218; D24/200;
607/1, 2, 48, 46, 49, 58

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 365,639 * 12/1995 Teo et al. D24/200
D. 410,468 * 6/1999 Kazama D14/218
D. 411,887 * 7/1999 Agarwala D24/200
D. 417,220 * 11/1999 Godette et al. D14/218
5,607,461 * 3/1997 Lathrop 607/2

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Gregory Andoll

(74) *Attorney, Agent, or Firm*—Dickstein Shapiro Morin &
Oshinsky LLP

(57) **CLAIM**

The ornamental design for a stimulator, as shown and
described.

DESCRIPTION

FIG. 1 is a front view of the stimulator according to the
present invention;

FIG. 2 is a left view of the stimulator according to the
present invention;

FIG. 3 is a back view of the stimulator according to the
present invention;

FIG. 4 is a top view of the stimulator according to the
present invention;

FIG. 5 is a bottom view of the stimulator according to the
present invention; and,

FIG. 6 is a right view of the stimulator according to the
present invention.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

