

(12) **United States Design Patent**
Skalka

(10) **Patent No.:** **US D450,498 S**
(45) **Date of Patent:** **** Nov. 20, 2001**

(54) **MODULAR CHAIR COMPONENT**

(75) **Inventor:** **Gerald P. Skalka**, Potomac, MD (US)

(73) **Assignee:** **Victor Stanley, Inc.**, Dunkirk, MD (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/133,359**

(22) **Filed:** **Nov. 29, 2000**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/099,046, filed on Jan. 12, 1999, now Pat. No. Des. 438,035.

(51) **LOC (7) Cl.** **06-06**

(52) **U.S. Cl.** **D6/500**

(58) **Field of Search** D6/334, 336, 368, D6/369, 370, 374, 376, 379, 380, 381, 500-507; 297/232, 452.1, 452.46, 452.63

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 185,164	5/1959	Molla .
D. 185,540	6/1959	Everly .
D. 216,115	11/1969	Suzuki .
D. 224,634	8/1972	Kohl et al. .
D. 225,946	1/1973	Morrison et al. .
D. 229,591	12/1973	Trail et al. .
D. 233,964	12/1974	Morrison et al. .
D. 247,597	3/1978	Glaser .
D. 264,151	5/1982	Sauls et al. .
D. 296,628	7/1988	Glass .
D. 314,677	2/1991	Hanna .
D. 327,586	7/1992	Skalka .
D. 341,267	11/1993	Caldwell .
D. 345,869	4/1994	Grosfillex .
D. 376,271	12/1996	Skalka .
D. 381,536	7/1997	Kane .

D. 383,615	9/1997	Skalka .	
D. 383,627	9/1997	Kane .	
D. 384,512	10/1997	Skalka .	
D. 385,442	10/1997	Kane .	
D. 386,012	11/1997	Skalka .	
D. 386,333	11/1997	Kane .	
D. 407,570	4/1999	Frauenberger .	
1,945,113	1/1934	Kloboučník .	
2,849,054	* 8/1958	Shepherdson	297/17
3,544,164	12/1970	Ohta .	
4,804,225	2/1989	Fourrey et al. .	
5,083,838	1/1992	Maxwell, Jr. .	
5,636,901	6/1997	Grilliot et al. .	

* cited by examiner

Primary Examiner—Caron D. Veynar
Assistant Examiner—Mimosa De
(74) *Attorney, Agent, or Firm*—Jacobson Holman, PLLC


(57) **CLAIM**

The ornamental design for a modular chair component, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a modular chair component showing a first embodiment of my new design.
FIG. 2 is a cross-sectional view of the modular chair component of FIG. 1, taken along line 2—2 of FIG. 1.
FIG. 3 is a front elevational view of the modular chair component of FIG. 1.
FIG. 4 is a right side elevational view of the modular chair component of FIG. 1, the left side view being a mirror image thereof.
FIG. 5 is a perspective view of a modular chair component showing a second embodiment of my new design, in which the frame is identical to the frame of the embodiment of FIG. 1, but the filler supported by the frame is different; and, FIG. 6 is a cross-sectional view of the modular chair component of FIG. 5, taken along line 6—6 of FIG. 5.

1 Claim, 3 Drawing Sheets






FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 5




FIG. 6